

Drugs and Medications

NOTICE: The Department of Defense (DoD) assumes no risk for the use of this information by non-DoD personnel, blood programs, or individual medical institutions. The use of this information by DoD personnel is strictly for blood donor operations and must adhere to the current Service (Army, Navy and Air Force) specific Standard Operating Procedure dealing with the screening of blood donors. **Changes since the last edition (21 Jan 2003) are shaded.**

Drug	ACCEPTABLE	NOT
5-FU	No, temporary deferral if for cancer. Yes, if topical for superficial skin cancer such as basal cell carcinoma.	Anti-neoplastic. Desquamator
A.P.C. Tablets	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets.	Analgesic, anti-pyretic, anti-inflammatory
A/T/S	Defer 24 hrs after course completed and feel well. If IV or IM defer 1 wk. Yes, if for acne.	Antibiotic
Abilify (Aripiprazole)	Yes, if legally and mentally responsible.	Anti-psychotic
Abreva (Docosanol)	No if for Kaposi's sarcoma. Yes if not for Kaposi's sarcoma.	Anti-herpetic agent
Accolate	Yes	Anti-asthmatic
Accupril	Yes, for stable hypertension	Ace Inhibitor
Accutane (isotretinoin)	Defer for one month after course of therapy completed.	Medication for severe acne. Synthetic form of Vitamin A.
ACE Inhibitors	Yes, for hypertension. Defer if for heart disease.	Anti-hypertensive, ACE inhibitor
Acebutolol	Yes, if for hypertension.	Beta-blocker, anti-hypertensive
Aceon (Perindopril erbumine)	Yes.	ACE inhibitor, anti-hypertensive, cardiovascular drug
Acetaminophen	Yes, if taken for pain. Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever.	Analgesic, Anti-pyretic.
Acetazolamide	Yes.	Anti-convulsant, diuretic and inhibitor of fluid secretion (glaucoma).

Drug	ACCEPTABLE	NOT
Aceticyl	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic, anti-pyretic, anti-inflammatory
Acetohexamide	Yes.	Oral hypoglycemic agent for diabetes.
Acetophenazine	Yes, if donor mentally and legally responsible.	Anti-psychotic
Acetosalin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic, anti-pyretic, anti-inflammatory
Acetylcysteine	Defer until off drug and underlying condition resolved.	Mucolytic agent
Acetylsal (Canton)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic, anti-pyretic, anti-inflammatory
Achromycin	Yes, if ophthalmic or topical use, or for acne. Otherwise, defer 24 hrs. After course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Achrostatin V	Defer until 24 hrs. after course completed and feel well; if IV or IM defer 1 week.	Anti-fungal, Antibiotic
A-Cill	No, wait 24 hrs. after course completed and feel well, if IV or IM defer 1 wk.	Antibiotic
Aciphex (Rabeprazole)	Yes, if no evidence of bleeding.	Prevention of stomach ulcer bleeding
Acitretin (Soriatane)	Permanent Deferral (teratogenic)	Anti-psoriasis
Acon (Vitamin A)	Yes.	Vitamins
Acthar	Evaluate underlying condition.	ACTH
Acticm	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine, decongestant
Actidil	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Actifed	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine

Drug	ACCEPTABLE	NOTE
Actigall	Yes.	Gall stone dissolution agent
Activase	Defer until therapy discontinued.	Tissue plasminogen activator
Actol	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antitussive, expectorant
Actos (Pioglitazone HCL)	Yes.	Anti-diabetic agent
Acular	Yes	NSAID
Acyclovir	Yes, if no active lesions.	Anti-viral for Herpes virus
Adalat	Yes, if for esophageal achalasia, migraine or hypertension; otherwise, no.	Anti-anginal, calcium channel blocker
Adapin	Yes.	Anti-depressant
Adderal	Yes.	For attention deficit
Adeflor Drops	Yes.	Vitamin/Mineral supplement
Adipex-8, Adipex-P	Yes.	Amphetamine
Adrenalin	Yes, if not daily dose for maintenance but intermittent use.	Bronchodilator
Adult Analgesic Pain Reliever (DeWitt)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic, anti-pyretic, anti-inflammatory
Advair	Yes. Accept if asymptomatic	Anti-allergy, flonase nasal spray.
Advil	Yes, if not severe arthritis pain. Defer plateletpheresis donors 24 hours	Non-steroidal anti-inflammatory.
Aerolate (theophylline)	Yes, even if daily dose for maintenance.	Bronchodilator
Afrin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Decongestant
Afrinol	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Decongestant
Afrinol Repetabs	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Decongestant
Agoral	Yes.	Stool Softener
Airet (dyphylline)	Yes, even if daily dose for maintenance.	Bronchodilator
Akineton	Yes.	Anti-cholinergic-Parkinson's Disease
Albamycin	Defer for 24 hrs. after course completed, if IV or IM defer 1 week.	Antibiotic

Drug	ACCEPTABLE	NOTE
Albuterol	Yes, even if daily dose for maintenance.	Bronchodilator
Alcopar	Defer 1 wk. After course completed and feel well.	Anti-helminthic
Aldactazide	Yes.	Anti-hypertensive, diuretic
Aldactone	Yes.	Anti-hypertensive, diuretic
Aldochlor	Yes.	Anti-hypertensive
Aldomet	Yes.	Anti-hypertensive
Aldoril	Yes.	Anti-hypertensive
Allesse	Yes.	Oral Contraceptive
Alka-Seltzer Antacid and Pain Reliever	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic, Anti-pyretic, antacid, ASA
Alka-Seltzer Plus Sinus Allergy or Cold Medicine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic, anti-pyretic, anti-inflammatory
Alkeran	No, permanent deferral.	Anti-neoplastic agent
Allegra	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Aller-Chlor	Accept if asymptomatic for 24 hours.	Antihistamine
Allerest	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine, decongestant
Allopurinol	Yes.	Xanthine oxidase inhibitor
Alophen	Yes.	Laxative
Alpen, Alpen-N	Defer for 24 hrs. after course completed and feel well, if IV or IM defer 1 week.	Antibiotic
Alpha Redisal	Yes.	Vitamin B ₁₂
Alpha/Beta Adrenergic blockers	Yes.	Anti-hypertensive
Alphadrol	No, if for collagen-vascular disease. Otherwise, wait 72 hrs. after course completed if oral or IM.	Oral corticosteroid
Alphalin	Yes.	Vitamin A
Alphaprodine	Yes, if not abuser.	Narcotic analgesic

Drug	ACCEPTABLE	NOTE
Alphatrex	Defer 72 hrs after use completed if IV, IM or PO, otherwise, yes.	Corticosteroid Anti-inflammatory
Alprazolam	Yes.	Benzodiazepine, anti-anxiety agent
Alprostadil	Yes	Treatment for erectile dysfunction
Alseroxylon	Yes.	Anti-hypertensive
Altace	Yes, if for hypertension. No, if for heart disease.	ACE Inhibitor, Anti-hypertensive
Alteplase	Defer until therapy discontinued.	Tissue plasminogen activator
Alternagel	Yes, if for esophagitis or ulcer disease (pain-free). No, if renal patient.	Antacid
Altex	Yes.	Diuretic
Aludrox	Yes, if for esophagitis or ulcer disease (pain-free). No, if renal patient.	Antacid
Aluminum Nicotinate	Yes.	Cholesterol lowering agent
Alupent	Yes, even if daily dose for maintenance.	Bronchodilator
Amantadine	Yes.	Anti-viral prophylaxis, anti-Parkinson's
Amaryl	Yes.	Oral hypoglycemic
Ambenonium	No, permanent deferral.	Anti-cholinesterase (myasthenia gravis)
Ambenyl	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Ambien	Yes.	Hypnotic, Sedative
Ambihar	Defer 1 wk, after course completed and feel well.	Anti-helminthic
Ambodryl	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Amcill	Defer 24 hrs. after course completed and feel well, if IV or IM defer 1 wk.	Antibiotic
Amdinocillin	Defer 1 wk. After course completed and feel well.	Antibiotic
Amen	No, if cancer patient; otherwise, yes.	Hormone, progestin
Amerge (Naratriptan HCL)	Yes. Accept if asymptomatic for 24hrs.	Therapy for migraine headache. (5-hydroxytryptamine receptor antagonist).
Amesec	Yes, even if for daily maintenance use.	Bronchodilator, hypnotic, sedative
A-MethaPred	Defer 72 hrs. if oral or IM. Yes, if topical, ophthalmic or intra-articular.	Corticosteroid
Amicar	Evaluate underlying condition.	Anti-fibrinolytic agent

Drug	ACCEPTABLE	NOTE
Amiloride	Yes.	Diuretic
Aminogluthethimide	No, permanent deferral.	Anti-adrenal agent
Aminophyllin	Yes, even if daily dose for maintenance use.	Bronchodilator
Aminophylline	Yes, even if daily dose for maintenance use.	Bronchodilator
Aminosalicyclic Acid	Defer until course of medication completed and disease inactive	Anti-tuberculosis drug
Amitid	Yes.	Tricyclic Anti-depressant
Amitril	Yes.	Tricyclic Anti-depressant
Amitriptyline	Yes.	Tricyclic Anti-depressant
Amnestrogen	Yes.	Hormone replacement
Amodiaquine	Defer 1 yr. If in malaria area. Otherwise, yes.	Anti-malarial
Amodrine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Amoxapine	Yes.	Tricyclic Anti-depressant
Amoxicillin	Defer until 24 hrs. after course completed and feel well. Yes, for acne.	Antibiotic
Amoxil	Defer until 24 hrs. after course completed and feel well. Yes, for acne.	Antibiotic
Amphetamine	Yes.	Stimulant
Amphojel	Yes, if ulcer disease pain-free. No, if renal failure patient.	Antacid
Ampicillin	No, wait 24 hrs. after course completed and feel well, if IV or IM defer 1 wk.	Antibiotic
Amytal	Yes.	Sedative to relieve anxiety and tension
Anacin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Anadrol-50	Yes, unless used for Rx of cancer or aplastic anemia.	Anabolic steroid
Anafranil	Yes.	Anti-obsession drug
Analval	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic

Drug	ACCEPTABLE	NOTE
Ananase	Yes.	Anti-inflammatory, reduces edema, eases pain, speeds healing.
Anaprox	Yes, for menstrual cramps and arthritis that is under control. Defer plateletpheresis donors 24 hours.	Non-steroidal anti-inflammatory
Anaspaz	Yes, if ulcer disease & pain-free.	Belladonna alkaloid, anti-cholinergic/Anti-spasmodic
Anavar	Yes.	Anabolic steroid
Ancobon	Yes, if for infections of skin or nail beds. No, if for systemic (generalized) infection; then defer for 1 week after course completed and condition resolved.	Anti-fungal
Andec	Yes if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine, decongestant
Android	Yes.	Anabolic steroid
Android	Yes, unless for Rx of cancer or aplastic anemia.	Hormone
Anexsia (Smith-Kline Beecham)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Anginar	No, defer until off medication and free of symptoms.	Anti-anginal
Anhydron	Yes.	Anti-hypertensive, diuretic
Anilerdine	Yes, if not abuser.	Narcotic analgesic
Animal Serum Products	Defer 2 weeks after last injection.	
Anisindione	Defer pending medical evaluation with cessation of drug.	Anticoagulant
Anisotropine	Yes, ulcer disease is pain-free.	Anti-cholinergic, Anti-spasmodic
Anodynos (Buffington)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Ansaid	Yes, if arthritis inactive. Defer plateletpheresis donors 24 hours.	Non-steroidal anti-inflammatory
Anspor	Defer until 24 hrs. after course completed and feel well; if IV or IM defer 1 wk.	Antibiotic
Antabuse	Defer 1 wk. After off drug.	Indication-alcoholism

Drug	ACCEPTABLE	NOTE
Antepar	Defer 1 wk. After course completed and feel well.	Anti-helminthic
Antiminth	Defer 1 wk. After course completed and feel well.	Anti-helminthic
Antispas	Yes, if ulcer disease is pain-free.	Anti-cholinergic Anti-spasmodic
Antivert	Yes.	Antihistamine for vertigo
Antuitrin S	Yes.	Hormone
Anturane	Yes.	Uricosuric agent
Anusol	Yes.	Indication hemorrhoids
Apap	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever.	Anti-pyretic, anti-inflammatory
A-Poxide	Yes.	Tranquilizer
Appetabs	Yes.	Amphetamine, stimulant
Apresazide	Yes.	Anti-hypertensive
Apresoline	Yes.	Anti-hypertensive
Aqualine	Yes, even if daily dose for maintenance.	Bronchodilator
AquaMephyton	Evaluate underlying condition.	Vitamin K
Aquamox	Yes.	Diuretic
Aquasol A	Yes.	Vitamin A
Aquasol E	Yes.	Vitamin E
Aquatag	Yes.	Anti-hypertensive, diuretic
Aquatensen	Yes.	Anti-hypertensive, diuretic
Aralen	Defer 1 yr. If in malaria zone. Otherwise, yes.	Anti-malarial
Arava (leflunomide)	No. Permanent deferral.	Used to treat active rheumatoid arthritis.
Arfonad	Defer 72 hrs.	Ganglionic blocking agent (potent hypotensive)
Aricept (Donepezil HCl)	No. Permanent deferral	Cholinesterase Inhibitor
Aristocort	Defer 72 hrs. if oral or IM, otherwise yes.	Steroid
Aristospan	Defer 72 hrs. if oral or IM, otherwise yes.	Steroid
Arlidin	Yes, used in peripheral vascular disease.	Vasorelaxant, vasodilator
Artane	Yes.	Anti-Parkinson's

Drug	ACCEPTABLE	NOTE
Arthritis Pain Formula (Whitehall)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Arthritis Strength BC Powder (Block)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Arthritis Strength Bufferin (Bristol-Myers)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Arthropan liquid	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic, Anti-pyretic, anti-inflammatory, ASA
Arthrotic	Yes.	Combination of Voltarin and Cytotec, both approved, follow individual guidelines.
ASA Enseals (Lilly)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
ASA Suppositories (Lilly)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Asacol	Yes.	Anti-lipemic
Asbron	Yes, even if daily dose for maintenance.	Bronchodilator
Ascriptin	Yes, if arthritis is inactive. Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic, anti-inflammatory anti-pyretic, ASA.
Asendin	Yes.	Anti-depressant, tranquilizer

Drug	ACCEPTABLE	NOT
Asmolin	Yes, even if daily dose for maintenance.	Bronchodilator
Aspergum (Schering-Plough)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Aspermin (Buffington)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Aspirin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic, anti-pyretic, anti-inflammatory
Aspirjen Jr (Jenkins)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Aspirmax (Invamed)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Aspir-Max (Perrigo)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Aspirtab (Dover)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Astemizole	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Atabrine	Defer 1 yr. If in malaria zone, otherwise yes.	Anti-malarial
Atacand	Yes.	Anti-hypertensive

Drug	ACCEPTABLE	NOTE
Atarax	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Sedative, antihistamine
Atenolol	Yes.	Anti-hypertensive, beta blocker
Athrombin-K	Defer pending medical evaluation with cessation of drug.	Anticoagulant
Ativan	Yes.	Tranquilizer
Atrocholin	Yes, if ulcer disease is pain free.	Anti-cholinergic Anti-spasmodic
Atromid S	Yes.	Cholesterol lowering agent
Atropine	Yes, if ulcer disease is pain free.	Anti-cholinergic Anti-spasmodic
Atropisol	Yes, if ulcer disease is pain free.	Anti-cholinergic Anti-spasmodic
Atrovent	Yes, accept if asymptomatic.	Anti-cholinergic
Augmentin	Defer until 24 hrs. after course completed and feel well.	Antibiotic
Aureomycin	Defer until 24 hrs. after course completed and feel well; if IV or IM defer 1 wk. Yes, if for acne.	Antibiotic
Aurothioglucose	Yes, if disease not active at this time.	Anti-rheumatic, anti-inflammatory
Avalide (irbesartan-hydrochlorothiazide)	Yes.	Anti-hypertensive
Avandia (Rosiglitazone)	Yes, if diabetes controlled and asymptomatic.	Anti-diabetic
Avapro	Yes.	Anti-hypertensive, angiotensin II receptor antagonist
AVC	Yes.	Antibiotic, antiseptic Cream/suppository
AVC Dienestrol	As above.	(Non-specific vaginal infection)
Aventyl	Yes.	Anti-depressant
Avodart (dutasteride)	No, defer until 6 months after last dose of medication.	Used for treatment of benign prostatic hyperplasia in men with enlarged prostate. Potential fetal anomaly to male fetus.
Avlosulfan	No, permanent deferral.	Anti-leprosy agent
Axid	Yes, if ulcer disease inactive.	Anti-ulcer agent
Axotal	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA + Butalbital
Aygestin	Yes.	Progestin agent

Drug	ACCEPTABLE	NOT
Azatadine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Azathioprine	No, permanent deferral.	Immunomodulator
Azdone Tablets (Central Pharmaceuticals)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Azelastine (asteline, Optivar TM)	Yes if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Anti-histamine
Azene	Yes.	Anti-anxiety agent
Azithromycin	No, defer 24 hours after course completed. Yes for acne.	Antibiotic
Azlin	Defer 1 wk. After course completed and feel well.	Antibiotic
Azlocillin	Defer 1 wk. After course completed and feel well.	Antibiotic
Azmacort (Vancenase)	Yes, even if daily dose for maintenance.	Anti-inflammatory, steroid
Azo-Gantanol	Defer 24 hrs after course completed and feel well, if IV or IM defer 1 wk.	Antibiotic, analgesic
Azo-Gantrisin	Defer 24 hrs. after course completed and feel well, if IV or IM defer 1 wk.	Antibiotic
Azolid	Yes, if arthritis inactive.	Anti-inflammatory
Azo-Mandelamine	Defer 24 hrs. after course completed and feel well, if IV or IM defer 1 wk.	Antibiotic
Azo-Standard	Defer 24 hrs. after course completed and feel well, if IV or IM defer 1 wk.	Antibiotic, analgesic
Azotrex	Defer 24 hrs. after course completed and feel well, if IV or IM defer 1 wk.	Antibiotic, analgesic
Azulfidine	No, Permanent Deferral	Immune modulator
B663	No, permanent deferral.	Anti-leprosy drug
BA-C Tablets	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Bacampicillin	Defer 24 hrs. after course completed and feel well, if IV or IM defer 1 wk.	Antibiotic

Drug	ACCEPTABLE	NOTE
Bacarat	Yes.	Anorexic
Bacid	Yes, if symptom free Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Anti-diarrheal
Back-Quell (Otis Clapp)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Baclofen	Yes.	Muscle relaxant
Bactocill (oxacillin)	Defer 24 hrs. after course completed and feel well, if IV or IM defer 1 wk.	Antibiotic
Bactrim	Defer 24 hrs. after course completed and well. Accept for acne use.	Antibiotic
Bactroban cream/ointment (Mupirocin)	Defer until 24 hours after last dose and asymptomatic	Topical antibiotic
Bactroban Nasal	Consult with Medical director.	May be used for eradication of methicillin resistant staph aureus colonization
Baltron	Yes.	Vitamin/mineral
Bamo-400	Yes.	Sedative/hypnotic
Banthine	Yes.	Anti-spasmodic
Barbiturates	Yes, evaluate underlying condition.	Sedative, anti-convulsant
Basaljel	No, if renal patient; yes, if ulcer disease pain free.	Antacid
Baycol (Cerivastatin)	See Cerivastatin	
Bayer 8-hour Timed Release Aspirin (Glenbrook)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Bayer Aspirin (Glenbrook)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Bayer Children's Aspirin (Glenbrook)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic

Drug	ACCEPTABLE	NOTE
Bayer Plus Aspirin Tablets (Glenbrook)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
BC Cold Powder Multi-Symptom Formula (Block)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
BC Cold Powder Non-Drowsy Formula (Block)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
BC Powder (Block)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Beclometasone (Beclomet)	Yes, even if daily maintenance dose.	Anti-inflammatory, steroid
Beclovent	Yes, even if daily maintenance dose.	Anti-inflammatory, steroid
Beconase	Yes, even if daily dose for maintenance.	Anti-inflammatory, steroid
Belap	Yes, if ulcer disease pain free.	Anti-cholinergic Anti-spasmodic, hypnotic/sedative
Belladenal	Yes, if ulcer disease pain free.	Anti-cholinergic Anti-spasmodic, hypnotic/sedative
Belladonna	Yes, if ulcer disease pain free.	Anti-spasmodic
Bellafoline	Yes, if ulcer disease pain free.	Anti-cholinergic Anti-spasmodic, hypnotic/sedative
Bellergal	Yes.	Anti-spasmodic vasoconstrictor
Benacen	Yes.	Uricosuric agent
Benadryl	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Bendectin	Yes, if symptom free.	Anti-emetic, anti-nausea
Bendopa	Yes.	Anti-Parkinson's
Bendro-Flumethiazide	Yes.	Anti-hypertensive
Benemid	Yes.	Anti-inflammatory

Drug	ACCEPTABLE	NOTE
Bentyl	Yes, if ulcer disease pain free.	Anti-spasmodic
Bentyl Cough Syrup	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antitussive
Benylin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antitussive
Benzamycin	Defer 24 hrs. after course completed and feel well; if IV or IM defer 1 wk. Yes, if for acne.	Antibiotic
Benzedrex	Yes.	B ₂ Stimulator
Benzedrine	Yes.	Amphetamine
Benzonatate	Yes.	Anorexiant
Benzquinamide	Yes, if symptom free.	Anti-emetic
Benzthiazide	Yes.	Anti-hypertensive
Benztropine Mesylate (Cogentin)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Anti-cholinergic, antihistamine
Benzyl Benzoate	Defer 48 hrs. after therapy completed.	Topical pediculicide
Bephenium Hydroxynaphthoate	Defer 1 wk. After treatment completed and well.	Anti-helminthic
Beramax	Yes.	Diuretic
Beta Adrenergic stimulants	Yes.	Anti-hypertensive
Beta blockers	Yes, if for hypertension, migraine headaches. No, if anti-anginal for angina or arrhythmias. Yes, if for Mitral Valve Prolapse.	Anti-arrhythmic, anti-hypertensive
Beta Carotene	Yes.	Mineral supplement.
Beta-Chlor	Yes.	Hypnotic/sedative
Betalin S	Yes.	Vitamin
Betaliniz Crystalline	Yes.	Vitamin
Betaloc	Yes, if for hypertension	Anti-hypertensive beta blocker
Betamethasone	Defer 72 hrs after use completed if IV, IM or PO, otherwise, yes.	Corticosteroid Anti-inflammatory
Betapace	Yes, if not a Rx for ventricular arrhythmia. Needs Medical Clearance from family physician	Beta Blocker
Betapar (meprednisone)	Defer 72 hrs. if P.O. or IM; otherwise yes.	Corticosteroid Anti-inflammatory

Drug	ACCEPTABLE	NOT
Betapen-VK	Defer 24 hrs. after course completed of drug and feel well; or if IM or IV, defer 1 wk.	Antibiotic
Betatrex	Defer 72 hrs after use completed if IV, IM or PO, otherwise, yes.	Corticosteroid Anti-inflammatory
Betaxolol	Yes.	Anti-glaucoma agent
Bethanecol	Yes.	Cholinomimetic (urinary incontinence)
Betopic	Yes.	Anti-glaucoma agent
Bewon	Yes.	Vitamin
Bextra	Yes, unless if for deferring medical condition. Defer for rheumatoid arthritis.	COX-2 Inhibitor
Bezafibrate	Yes.	Cholesterol lowering agent.
Biaxin	Yes, after complete and off Rx. 24 hr	Antibiotic
Bicillin	Defer 2 weeks. After IM injection. If used for sexually transmitted disease, see disease.	Antibiotic
Bicitra	No, permanent deferral.	Electrolyte replacement
Bilron	Yes.	Vitamin/mineral/bile salt replacement
Bio-Anabolic	Yes.	Vitamin supplement
Biocef	Defer 24 hrs. after course completed and feel well.	Antibiotic
Biohist LA	Accept of asymptomatic for 24 hours.	Antihistamine, decongestant
Biopar Forte	Yes.	Vitamin
Biphetamine	Yes.	Anorexiant, stimulant
Biporiden	Yes.	Anti-cholinergic, anti-Parkinson's
Bisacodyl	Yes.	Laxative
Biscolax	Yes.	Laxative
Bisken	Yes, if for hypertension No, defer if for arrhythmia.	Beta-blocker, anti-hypertensive
Bismuth Subsalicylate	Yes if symptom free.	Anti-diarrheal
Bismuth, Pectin and paregoric	Yes, if symptom free.	Anti-diarrheal
Black Cohosh	Yes	Over the counter formulation. Hormonal modulator
Blenoxane	No	Anti-neoplastic medication
Blocadren	Yes, for hypertension; otherwise, no.	Anti-hypertensive, beta-blocker
Bonine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine

Drug	ACCEPTABLE	NOTE
Bontril	Yes.	Anorexiant
Botulinum Toxin	Defer 1 wk.	Biological
Breonesin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Expectorant
Brethine	Yes, even if daily dose for maintenance.	Bronchodilator
Brevicon	Yes.	Oral Contraceptive
Brexin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine/decongestant
Bricanyl	Yes, even if daily dose for maintenance.	Bronchodilator
Bristacycline	Defer 24 hrs. after course completed and feel well; if IV or IM defer 1 wk. Yes, if for acne.	Antibiotic
Bristamycin	Defer 24 hrs. after course completed and feel well; if IV or IM defer 1 wk. Yes, if for acne.	Antibiotic
Bromfed	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Decongestant, antihistamine
Bromocriptine	Yes.	Anti-Parkinson's
Bromo-diphenhydramine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Bromophen T.D.	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Brompheniramine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Brondecon	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Bronkodyl, Bronkodyl S-R, Brokolixie, Bronkotabs	Yes, even if daily dose for maintenance.	Bronchodilator
Bucladin-S	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Bucizine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine

Drug	ACCEPTABLE	NOT
Budesonide	Yes, even if daily dose for maintenance.	Anti-inflammatory, steroid (anti-rhinitis)
Buffaprin (Buffington)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Buffasal (Dover)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Bufferin, (All Forms)	Yes, if arthritis inactive. Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	Anti-inflammatory, analgesic, anti-pyretic, ASA.
Buffets II (JMI)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Buffex (Roberts)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Buffinol (Otis Clapp)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Bumetanide	Yes, if for hypertension and underlying condition not cause for deferral	Anti-hypertensive, diuretic
Bumex	Yes, if for hypertension and underlying condition not cause for deferral	Anti-hypertensive, diuretic
Bupropion	Yes.	Anti-depressant
Buspar	Yes.	Anti-anxiety agent
Buspirone	Yes.	Anti-anxiety agent
Busulfan	No, permanent deferral.	Anti-neoplastic
Butabarbital	Yes.	Hypnotic/sedative

Drug	ACCEPTABLE	NOT
Butal Compound (Novartis)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Butalbital	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Butaperazine	Yes, if legally and mentally responsible.	Anti-psychotic
Butazolidin	Yes, if arthritis inactive.	Anti-inflammatory. anti-pyretic
Butibel	Yes.	Sedative/Anti-spasmodic
Butinal (Econolab)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Butiserpine, Butiserpazide	Yes.	Anti-hypertensive with sedative effect
Butisol	Yes.	Mild sedative
Butizide	Yes.	Anti-hypertensive
Butorphanol	Yes, if not abuser.	Narcotic, analgesic
Cabergoline	Yes.	Dopamine receptor agonist
Cafergot	Yes, if for migraine headaches.	Vasoconstrictor for migraine headache
Caffeine	Yes.	Stimulant
Calan	Yes, if for migraine, hypertension. No, if for angina, arrhythmias.	Vasodilator, CA Channel blocker
Calcidrine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antitussive, expectorant
Calciferol	No, permanent deferral if renal patient. Yes, otherwise.	Vitamin D
Calciparine	Defer 1 month until no longer require medication, evaluate underlying condition.	Heparin anti-coagulant
Calcipotriene (Dovonex)	Accept if lesions are not in area of venipuncture.	Anti-psoriatic
Calcitriol	No, permanent deferral if renal patient. Yes, otherwise.	Vitamin D

Drug	ACCEPTABLE	NOTE
Calcium Carbonate	Defer permanently if renal patient. Yes, if ulcer disease pain-free.	Mineral, antacid
Calcium channel blockers	Yes, if for hypertension. No, if for angina or arrhythmia.	Anti-anginal, anti-arrhythmic, Anti-hypertensive
Calcium, Calcium Gluceptate, Calcium Gluconate, Calcium Lactate	Yes.	Mineral supplement
Calderol	No, permanent deferral if renal patient. Yes, otherwise.	Vitamin D
Calmol 4 Suppository	Yes.	Topical hemorrhoidal
Calurin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Analgesic, anti-pyretic, anti-inflammatory
Calusterone	No, permanent deferral.	Anti-neoplastic
Cama Arthritis Pain Reliever (Sandoz)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Cama Inlay Tab	Yes, if arthritis inactive. Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	Anti-inflammatory, ASA
Camalox	Yes, if ulcer disease pain free.	Antacid
Camoquin	Defer for 1 yr. if in malarial zone. Otherwise, yes.	Anti-malarial
Candeptin	Yes, if for infections of nail beds or skin.	Anti-fungal-topical
Candesartan cilexetil	Yes.	Anti-hypertensive
Candex	Yes, if for infections of nail beds or skin.	Anti-fungal-topical
Candididin	Yes, if for infections of nail beds or skin.	Anti-fungal-topical
Cantil	Yes, if ulcer disease pain-free.	Anti-spasmodic, anti-cholinergic
Capastat	Defer until treatment completed and disease inactive.	Anti-tuberculosis

Drug	ACCEPTABLE	NOT
Capathyn, Cap. (Scrip)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Capoten	Yes for hypertension. No, defer if for heart disease.	Anti-hypertensive, ACE inhibitor
Capozide	Yes, for hypertension.	Combination Anti-hypertensive
Capreomycin	Defer until treatment completed and disease inactive.	Anti-tuberculosis
Captopril	Yes for hypertension. No, defer if for heart disease.	Anti-hypertensive, ACE inhibitor
Captron (Eon Labs)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Carafate	Yes, if ulcer disease pain-free.	Anti-ulcer
Caramiphen Edisylate	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antitussive
Carbamazepine	Yes.	Anti-convulsant, analgesic
Carbarsone	Defer 1 wk. After course completed and feel well.	Amebicide
Carbec D Syrup	Accept of asymptomatic for 24 hours.	Antihistamine, decongestant
Carbenicillin	Defer 24 hrs. after course completed and feel well, if IV or IM defer 1 wk.	Antibiotic
Carbenoxolone	Yes, if ulcer disease pain-free.	Anti-ulcer
Carbic	Accept of asymptomatic for 24 hours.	Antihistamine, decongestant
Carbidopa-Levodopa	Yes.	Anti-Parkinson agent
Carbinoxamine	Accept of asymptomatic for 24 hours.	Antihistamine
Carbodec	Accept of asymptomatic for 24 hours.	Antihistamine, decongestant
Carboxymethyl-cellulose	Yes.	Laxative
Cardene	Yes, if for hypertension. No if for angina.	Anti-anginal, anti-hypertensive
Cardilate	No, permanent deferral if for angina.	Vasodilator
Cardioprin (Smart)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic

Drug	ACCEPTABLE	NOT
Cardioquin	Defer if for heart disease or arrhythmia until off medication and stable.	Anti-arrhythmic
Cardizem	Defer if for angina. Yes, if for hypertension.	Anti-anginal, anti-hypertensive
Cardrase	Yes.	Diuretic, anti-glaucoma
Cardura	Yes, if for hypertension.	Alpha blocker, potent Anti-hypertensive.
Carisoprodol	Yes. Defer 72 hrs for plateletpheresis or sole source platelets	Muscle relaxant, sedative
Carnitor	Yes.	Carnitine replacement
Caroid and Bile Salts with Phenolphthalein	Yes.	Laxative
Carphenazine	Yes, if mentally and legally responsible.	Anti-psychotic
Cartia	Accept if for hypertension. Defer if for angina. Contains aspirin -- follow aspirin protocol for platelet donation.	Anti-hypertensive, anti-anginal -- enteric coated 100 mg oral aspirin formulation
Cartrol	Yes.	Anti-hypertensive, Beta blocker
Cascara Sagrada	Yes.	Laxative
Casodex	No.	Used for the treatment of metastatic carcinoma of the prostate.
Castor Oil	Yes.	Laxative
Cataflam	Yes, if arthritis inactive. Defer 24 hours if for plateletpheresis.	Non-steroidal anti-inflammatory.
Catapres	Yes.	Anti-hypertensive
Caverject (alprostadil; ProstinVR)	Yes	Treatment for erectile dysfunction
Ceclor	Defer 24 hrs. after course completed and feel well.	Antibiotic
Cecon	Yes.	Vitamin
Cedilanid	No, permanent deferral.	Digitalis preparation
CeeNu	No, permanent deferral.	Anti-neoplastic
Cefaclor	Defer 24 hrs. after course completed and feel well.	Antibiotic
Cefadroxil	Defer 24 hrs. after course completed and feel well.	Antibiotic
Cefaperazone	Defer 1 wk.	Antibiotic
Cefixime	Defer 24 hrs. after course completed and feel well.	Antibiotic
Cefizox, Ceftizoxime	Defer 1 week.	Antibiotic

Drug	ACCEPTABLE	NOT
Cefobid	Defer 1 week	Antibiotic
Cefotan, Cefotetan	Defer 1 week	Antibiotic
Ceftazimide	Defer 1 week.	Antibiotic
Ceftriaxone	Defer 1 wk. After course completed and feel well.	Antibiotic
Cefuroxime	Defer 1 wk. After course completed and feel well.	Antibiotic
Celebrex	Yes	COX-2 inhibitor; no deferral for platelet donation
Celestone	Defer 72 hrs. for oral and IM use. Otherwise, yes.	Steroid
Celexa (Citalopram hydrobromide)	Yes.	Anti-depressant
Cenolate	Yes.	Vitamin
Centrax	Yes.	Anti-anxiety
Centrum	Yes.	Vitamins and minerals
Cephalexin	Defer 24 hrs. after course completed and feel well.	Antibiotic
Cephaloglycin	Defer 24 hrs. after course completed and feel well, if IV or IM defer 1 wk.	Antibiotic
Cephradine	Defer 24 hrs. after course completed and feel well.	Antibiotic
Cephulac	No, permanent deferral.	Laxative used in hepatic encephalopathy.
Ceptaz	Defer 1 week after course completed and feel well.	Antibiotic
Cerespan	Yes, evaluate underlying condition.	Muscle relaxant, used for vascular and visceral spasm
Cerivastatin (Baycol)	Yes	Anti-lipemic
Cevalin	Yes.	Vitamin
Cevi-Bid	Yes.	Vitamin
Ce-vi-Sol	Yes.	Vitamin
Chardonna-2	Yes, if ulcer disease pain-free.	Anti-cholinergic/Anti-spasmodic-Hypnotic, sedative
Chel-Iron	Yes.	Hematinic
Chemdec	Accept if asymptomatic for 24 hours.	Antihistamine, decongestant
Chendiol	Yes.	Bile acid
Chenodeoxycholic Acid	Yes.	Bile acid

Drug	ACCEPTABLE	NOTE
Cheracol	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antitussive, decongestant, antihistamine
Childrens Bayer Chewable (Glenbrook)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Chloral Betaine	Yes.	Hypnotic/sedative
Chloral Hydrate	Yes.	Hypnotic/sedative
Chlorambucil	No, permanent deferral.	Anti-neoplastic
Chloramphenicol	Defer 24 hrs. after course completed; defer 1 wk. if IM or IV use.	Antibiotic
Chlordiazachel	Yes.	Tranquilizer
Chlordiazepoxide	Yes.	Tranquilizer
Chloromycetin	Defer 24 hrs. after course completed; defer 1 wk. if IM or IV use.	Antibiotic
Chloro-phen	Accept of asymptomatic for 24 hours.	Antihistamine
Chloroquine	Defer 1 yr. If in malaria zone. Otherwise, yes.	Anti-malarial
Chloroquine and Primaquine	Defer 1 yr. If in malaria zone. Otherwise, yes.	Anti-malarial
Chlorothiazide	Yes.	Diuretic, Anti-hypertensive
Chlorotrianisene	Permanent deferral if cancer. Otherwise, yes.	Anti-neoplastic, estrogen
Chloroxazone	Yes.	Muscle relaxant, hypnotic/sedative
Chlorphenesin Carbamate	Yes.	Muscle relaxant, hypnotic/sedative
Chlorpheniramine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Chlorphenoxamine	Yes.	Anti-Parkinson's
Chlorphentermine	Yes.	Anorexiant
Chlorpromazine	Yes, if legally and mentally responsible.	Anti-psychotic
Chlorpropamide	Yes.	Oral hypoglycemic
Chlorprothixene	Yes, if legally and mentally responsible.	Anti-psychotic
Chlorthalidone	Yes.	Anti-hypertensive, diuretic

Drug	ACCEPTABLE	NOT
Chlor-Trimeton	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Chocks	Yes.	Vitamins
Cholan HMB, Cholan-DH	Yes, if ulcer disease pain-free	Anti-cholinergic, Anti-spasmodic, hypnotic/sedative, bile salt
Choledyl	Yes, even if daily dose for maintenance.	Bronchodilator
Cho-less	Yes	Hypocholesterolemic
Cholestyramine	Yes.	Cholesterol lowering agent.
Cholinate	Yes, if nutritional supplement. No, permanent deferral if tardive dyskinesia or chorea dementia.	Lipotropic agent
Choline	Yes, if nutritional supplement. No, permanent deferral if tardive dyskinesia or chorea dementia.	Lipotropic agent
Choline Magnesium	Yes, if arthritis inactive.	Anti-inflammatory
Choline Salicylate	No, defer if collagen-vascular disease.	
Choloxin	Yes.	Cholesterol lowering agent.
Chromagen Capsules	Yes.	Vitamin, mineral, hematinic
Chronulac	No, permanent deferral.	Laxative used in hepatic encephalopathy
Ciclopirox, topical solution, 8%	Yes if asymptomatic.	Onychomycosis
Cilazapril	Yes, if for hypertension.	Anti-hypertensive
Cimetidine	Yes, if ulcer disease pain-free.	Histamine-2 antagonist
Cinobac, Cinoxacin	Defer 24 hrs. after course completed and feel well.	Antibiotic
Cin-Quin	No, permanent deferral if for heart disease or arrhythmias.	Anti-arrhythmic
Cipro, Ciprofloxacin hydrochloride	Defer 24 hrs. after course completed and feel well.	Anti-infective
Citalopram (Celexa TM).	Yes.	Anti-depressive.
Citrolith	Yes.	Phosphate urinary acidifier
Claritin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Clemastine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Cleocin	Defer 24 hrs. after course completed or feel well, defer 1 wk. if IM or IV.	Antibiotic

Drug	ACCEPTABLE	NOTE
Clindamycin	Defer 24 hrs. after course completed or feel well, defer 1 wk. if IM or IV.	Antibiotic
Clindamycin Solution	Yes.	Topical antibiotic
Clindex	Yes.	Anti-spasmodic
Clinoril	Yes, if arthritis inactive. Defer platelet-pheresis donors 24 hours.	Non-steroidal anti-inflammatory
Clistin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Clobetasol (Cormax TM)	Yes	Topical corticosteroid.
Clocortolone	Yes.	Topical corticosteroid
Cloderm	Yes.	Topical corticosteroid
Clofazimine	No, permanent deferral.	Anti-leprosy
Clofibrate	Yes.	Cholesterol lowering agent.
Clomid	Yes.	Fertility drug
Clomiphene	Yes.	Fertility drug
Clomipramine HCl	Yes.	Anti-obsessional
Clonazepam	Yes.	Anti-convulsant
Clonidine	Yes.	Anti-hypertensive
Clonopin	Yes.	Anti-convulsant
Clopidrogel (Plavix)	Acceptable for whole blood, red blood cells, FFP, and/or cryoprecipitate; for platelets defer for 5 days after last dose	Anti-platelet
Clorazepate	Yes.	Tranquilizer
Clorevan	Yes.	Anti-Parkinson's
Clotermine	Yes.	Anorexiant
Clotrimazole	Yes, if for infections of skin or nail beds.	Topical Anti-fungal
Cloxacillin	Defer 24 hrs. after course completed and feel well.	Antibiotic
Cloxapen	Defer 24 hrs. after course completed and feel well.	Antibiotic
Clozapine	Yes, if legally and mentally responsible.	Anti-psychotic
Coactin	Defer 1 wk. After course completed and feel well.	Antibiotic

Drug	ACCEPTABLE	NOT
Cocaine	No, defer 12 months for intranasal use; permanent deferral if injected. Use in a medical procedure as a local anesthetic is acceptable.	Anesthetic
Codeine	Yes, unless abuser. Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Narcotic, analgesic, antitussive
Codeine polistirex	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Narcotic, antitussive
Codone	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antitussive
Cogentin	Yes.	Anti-Parkinson
Cognex	Yes, if legally and mentally responsible. May cause elevated ALT.	Anti-Dementia, Alzheimer's disease
Colace	Yes.	Laxative
Colbenemid	Yes, if gout attack not acute.	Uricosuric agent
Colchicine	Yes, if gout attack not acute.	Anti-inflammatory-gout
Coldec-TR	Accept if asymptomatic for 24 hours.	Antihistamine, decongestant
Colestid	Yes.	Cholesterol lowering agent.
Colestipol	Yes.	Cholesterol lowering agent
Cologel	Yes.	Laxative
Colonin	Yes, if symptom free.	Anti-diarrheal
Colrex Compound	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antitussive, decongestant, analgesic
Combid	Yes.	Anti-emetic, Anti-spasmodic
Combipress	Yes.	Anti-hypertensive
Combivent (ipratropium bromide and albuterol sulfate)	MD consult	Combination bronchodilator
Comhist LA	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Decongestant, antihistamine
Compazine	Yes, if legally and mentally responsible, otherwise OK.	Anti-emetic, Anti-psychotic
Compocillin VK	Defer 24 hrs. after course completed and feel well, defer 1 wk. if IV or IM.	Antibiotic

Drug	ACCEPTABLE	NOT
Conar-A	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antitussive, decongestant
Concerta (Methylphenidate)	Yes.	CNS Stimulant.
Contac	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Decongestant, anti-cholinergic
Cope (Mentholatum)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Co-Pyronil	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Cordran	Yes.	Topical Corticosteroid
Corgard	No, if for angina (permanent deferral) or arrhythmia (defer while on drug); otherwise, OK.	Anti-anginal, anti-arrhythmic
Coricidin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms. Defer 72 hrs for plateletpheresis or sole source platelets	Decongestant
Corrective Mixture	Yes, if symptom free for 3 days	Anti-diarrheal
Cortisol	Defer 72 hrs. if P.O., IM or IV use. Topical and intraarticular OK.	Steroid
Cortisone Acetate	Defer 72 hrs. if P.O., IM or IV use. Topical and intra- articular OK.	Steroid
Cortisporin	Yes.	Topical antibiotic
Corzide	Yes, if for hypertension, no if for angina or arrhythmia.	Combination Corgard and Naturetim
Cotazym	No	Enzyme replacement
CoTylenol	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Decongestant, antihistamine
Coumadin	Defer pending medical evaluation with cessation of drug.	Anticoagulant
Covera HS (verapamil hydrochloride).	Accept if for hypertension. Defer if for angina or arrhythmia.	Anti-hypertensive, calcium channel blocker
Cozaar	Yes.	Anti-hypertensive

Drug	ACCEPTABLE	NOTE
Creon	Yes	Pancreatic enzyme concentrate
Creoterp	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Expectorant
Cromolyn	Yes, even if daily dose for maintenance.	Anti-asthmatic
Crysticillin AS	Defer 24 hrs. after course completed and feel well. Defer 1 wk. if IV or IM.	Antibiotic
Crystodigin	No, permanent deferral.	Digitalis agent
Cuprimine	Yes, if arthritis inactive. No, if collagen vascular disease or other chronic disease.	Anti-inflammatory, Anti-rheumatic
Curretab	No, if cancer patient; otherwise yes.	Hormone
Cyanocobalamin	Yes.	Vitamin B ₁₂
Cyantín	Defer 24 hrs. after course completed and feel well; if IV or IM defer 1 wk.	Antibiotic
Cyclacillin	Defer 24 hrs. after course completed and feel well; if IV or IM defer 1 wk.	Antibiotic
Cyclamycin	Defer 24 hrs. after course completed and feel well; if IV or IM defer 1 wk.	Antibiotic
Cyclandelate	Defer if cerebrovascular disease. Yes, if peripheral vascular disease.	Vasodilator
Cyclapen	Defer 24 hrs. after course completed and feel well; if IV or IM defer 1 wk.	Antibiotic
Cyclazocine	Yes, if not abuser.	Narcotic agonist/antagonist
Cyclizine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine, Anti-emetic
Cyclobenzaprine	Yes.	Muscle relaxant.
Cyclopar	Defer 24 hrs. after course completed and feel well; if IV or IM defer 1 wk. Yes, if used for acne.	Antibiotic
Cyclophosphamide	No, permanent deferral.	Anti-neoplastic
Cycloserine	Yes, if treatment complete and disease inactive.	Anti-tuberculosis
Cyclospasmol	Defer if cerebrovascular disease. Yes, if peripheral vascular disease.	Vasodilator
Cyclothiazide	Yes.	Anti-hypertensive, diuretic
Cycrimine	Yes.	Anti-Parkinson's
Cytrin	Yes	Progesterone derivative

Drug	ACCEPTABLE	NOT
Cylert	Yes.	CNS stimulant
Cyproheptadine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Cystospaz	Yes, if ulcer disease pain-free	Anti-cholinergic, Anti-spasmodic
Cytadren	No, permanent deferral.	Anti-adrenal agent
Cytellin	Yes.	Anti-hyperlipidemic
Cytomel	Yes.	Synthetic thyroid hormone
Cytotec	Yes, if 4 hours since last dose.	Anti-ulcer medication
Cytosan	No, permanent deferral.	Anti-neoplastic
D.H.E.45	Yes.	Vasoconstrictor (migraine headaches)
Dalmane	Yes.	Tranquilizer
Damason-P (Mason)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Danazol	Yes.	Gonadotropin antagonist Used to treat Endometriosis, Fibrocystic breast disease, and prevention of attacks of hereditary angioedema.
Danocrine	Yes.	Gonadotropin antagonist. Used to treat Endometriosis, Fibrocystic breast disease, and prevention of attacks of hereditary angioedema.
Danthron	Yes.	Laxative
Dantrium	Yes.	Spasmolytic
Dantrolene	Yes.	Spasmolytic
Daprisal	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesics (ASA+amphetamine)
Dapsone	No, permanent deferral if for Leprosy. Yes, if for other entities.	Anti-leprosy agent
Daranide	Yes.	Anti-glaucoma
Daraprim	Defer 1 yr. If in malarial zone. Otherwise, yes.	Anti-malarial
Darbid	Yes, if ulcer disease pain-free.	Anti-cholinergic, Anti-spasmodic

Drug	ACCEPTABLE	NOT
Daricon, Daricon-PB	Yes, if ulcer disease pain-free.	Anti-cholinergic, Anti-spasmodic
Darvocet-N	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Analgesic, Anti-pyretic
Darvon	Yes, if not an abuser Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Analgesic
Darvon Compound, Darvon-N (Lilly)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Dasikon (Smith-Kline)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Dasin (Beecham)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Dasprin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Datril	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Analgesic, Anti-pyretic
Daxolin	Yes, if legally and mentally responsible.	Anti-psychotic
Dayalets	Yes.	Vitamins/minerals
Daypro	Yes, if arthritis inactive. Defer plateletpheresis donors 24 hours.	Non-steroidal anti-inflammatory
DDAVP	No, if for von Willebrand's Disease. Yes, if for other uses.	Anti-diuretic (also increases Factor VIII in Hemophilia A and von Willebrand's Disease)
Deaner	Yes, if movement does not interfere with phlebotomy and if legally and mentally responsible	Acetylcholine precursor (hyperkinesia, tardive dyskinesia)

Drug	ACCEPTABLE	NOT
Deanol	Yes, if movement does not interfere with phlebotomy and if legally and mentally responsible	Acetylcholine precursor
Deapril-ST	Defer 24 hrs.	Ergot alkaloid (elderly-selected mood elevator)
Decadron	Defer 72 hrs. if P.O. or IM. Yes, if topical or intra-articular.	Steroid
Deca-Durabolin	No, if renal disease patient. Yes, otherwise.	Anabolic steroid
Decapryn	Yes.	Bile salt
Decholin	Yes.	Bile salt
Declomycin	No, defer 24 hrs. If for acne, yes.	Antibiotic
Declostatin	Defer 24 hrs. after course completed and feel well.	Antibiotic, Anti-fungal
Decolyn (Richlyn)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Deconamine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Decotussin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Dehist	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Dehydrocholic Acid	Yes.	Bile salt
Dehydroemetine	Defer 1 wk. After course completed and feel well.	Amebiasis
Deladumone	Yes.	Hormone
Delatestryl	Yes.	Androgen hormone
Delautin	Yes.	Hormone
Delaxin	Yes.	Hypnotic/sedative
Delcid	Yes, if ulcer disease pain-free.	Antacid
Delta-Cortef	Defer 72 hrs. if oral or IM. Yes, if topical or intra-articular.	Steroid

Drug	ACCEPTABLE	NOTE
Deltalin	Yes, unless renal patient.	Vitamin
Deltasone	Defer 72 hrs. if oral or IM Yes, if topical or intra-articular.	Steroid
Demadex (torsemide)	Yes.	Diuretic
Demazin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Decongestant, antihistamine
Demeclocycline	Defer 24 hrs. after course completed and feel well. Yes, if for acne.	Antibiotic
Demerol	Yes, if not abuser.	Narcotic analgesic
Democlomycin	Defer 24 hrs. after course completed and feel well. Yes, if for acne.	Antibiotic
Demser	No, permanent deferral.	Rx of pheochromocytoma
Demulen	Accept.	Oral contraceptive
Dentavite	Yes.	Vitamin/mineral
Depakene	Yes.	Anti-convulsant
Depakote	Yes.	Anti-convulsant
Depancol	Yes.	Pancreatic enzyme
Depen	Yes, if arthritis inactive. No, if collagen vascular disease or other chronic disease.	Anti-inflammatory
Depo-Medrol	Defer 72 hrs. if oral or IM, otherwise, yes.	Steroid
Depo-Provera	No, permanent deferral if cancer, otherwise, yes.	Hormone
Deprol	Yes, maintenance only.	Anti-depressant, tranquilizer
DES (Diethylstilbestrol)	See Diethylstilbestrol	
Deserpidine	Yes.	Anti-hypertensive
Desipramine	Yes.	Anti-depressant
Desmopressin	No, permanent deferral.	Anti-diuretic hormone
Desoxycorti-costerone	No, permanent deferral.	Hormone mineralocorticoid
Desoxyn	Yes.	Anorexiant
Desyrel	Yes.	Anti-depressant.
Detrol	Yes.	Muscarinic receptor antagonist, urinary Anti-spasmodic
Dexamethasone	Defer 72 hrs. if oral or IM, otherwise yes.	Steroid
Dexamyl	Yes.	Amphetamine, barbiturate

Drug	ACCEPTABLE	NOT
Dexbrompheniramine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Dexchlorpheniramine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Dexedrine	Yes.	Amphetamine
Dextroamphetamine	Yes.	Anorexiant
Dextromethorphan	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antitussive
Dextrothyroxine	Yes.	Cholesterol lowering agent
DHEA (Dehydroepiandrosterone). (Bioperine™)	Yes.	Antioxidant activity, flavonoid effects.
DiaBeta	Yes.	Oral hypoglycemic
Diabinese	Yes.	Oral hypoglycemic
Diafen	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Dialose	Yes.	Laxative
Dialume	Yes, if ulcer disease pain-free.	Antacid
Diamox	Yes.	Enzyme inhibitor controlling fluid excretion (Glaucoma)
Dianabol	Yes.	Anabolic steroid
Diapid	No, permanent deferral.	Anti-diuretic hormone
Diasone	No, permanent deferral.	Anti-leprosy agent
Diazepam	Yes.	Tranquilizer
Diazide	Yes.	Diuretic
Diazoxide	Yes, if blood glucose stable.	Hyperglycemic
Dibenzylamine	Accept if for urinary problems. No, permanent deferral if for pheochromocytoma.	Vasodilator, Anti-hypertensive(may cause very low pressure or tachycardia with standing)
Dicarbosil	No, permanent deferral if renal patient. Yes, if ulcer disease pain-free.	Mineral, antacid
Dichlorphenamide	Yes.	Anti-glaucoma
Diclofenac	Yes, if arthritis inactive. Defer 24 hrs. if plateletpheresis donor.	Non-steroidal anti-inflammatory

Drug	ACCEPTABLE	NOT
Dicloxacillin	Defer 24 hrs. after course completed and feel well.	Antibiotic
Dicodid	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antitussive
Dicoumarin, Dicoumarol, Dicumarol	Defer pending medical evaluation with cessation of drug.	Anticoagulant
Dicyclomine	Yes, if ulcer disease pain-free.	Anti-cholinergic/Anti-spasmodic
Didrex	Yes.	Anorexiant
Didronel	Yes, if for osteoporosis.	Inhibits bone metabolism (Paget's Disease)
Diet Fuel	Yes.	Non prescription formulation diet supplement
Diethylcarbamazine	Defer 1 wk. and feel well.	Anti-helminthic
Diethylpropion	Yes.	Anorexiant
Diethylstilbestrol (DES)	No, permanent deferral.	Estrogen
Differin Gel	Yes.	Topical treatment for acne.
Diflucan	Yes, if for infection of skin or nail beds. No, if for generalized (systemic) infection	Anti-fungal; may cause elevated ALT.
Diflunisal	Yes, if arthritis inactive Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms. Defer plateletpheresis donors 24 hours.	Analgesic, non-steroidal anti-inflammatory.
Digitalis, Digitoxin, Digoxin	No, permanent deferral.	Cardiac Glycoside
Dihycon	Yes.	Anti-convulsant
Dihydroergotamine	Yes.	Vasoconstrictor
Dihydrotachysterol	No, permanent deferral if renal disease. Yes, otherwise.	Vitamin D
Dihydroxyaluminum-Aminoacetate, Sodium Carbonate	Yes, if ulcer disease pain-free.	Antacid
Diiodohydroxyquin	Defer 1 wk. and feel well.	Amebicide
Dilacor x R	Yes, if for hypertension.	Beta Blocker
Dilantin	Yes.	Anti-convulsant
Dilatrate-SR	No, permanent deferral.	Anti-anginal
Dilaudid	Yes, if not an abuser	Narcotic analgesic

Drug	ACCEPTABLE	NOT
Dilor	Yes, even if daily dose for maintenance.	Bronchodilator
Dilotab (Zee Medical)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Diloxanide Furoate	Defer 1 wk. and feel well.	Amebicide
Diltiazem	No, permanent deferral if for angina. Yes, if for hypertension.	Anti-anginal, anti-hypertensive
Dimacol	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine, decongestant, Antitussive
Dimenhydrinate	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Anti-nausea, antihistamine
Dimeaned	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Dimetapp	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine, decongestant
Dimethindene	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Dimethyl Sulfoxide	Defer 1 week after course completed.	Anti-inflammatory, anti-spasmodic
Dioctyl Sodium Sulfosuccinate, Dioctyl Calcium Sulfosuccinate	Yes.	Laxative
Diovan (Valsartan)	Yes.	Angiotensin blocker (receptor)
Dipentum	No.	Anti-inflammatory for ulcerative colitis
Diphepanil	Yes, if ulcer disease pain-free.	Anti-cholinergic/Anti-spasmodic
Diphenhydramine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Diphenidol	Yes, if symptom free.	Anti-emetic
Diphenoxylate	Yes, if symptom free. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever.	Anti-diarrheal
Di-Phenyl	Yes.	Anti-convulsant

Drug	ACCEPTABLE	NOT
Diphenylpyraline	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Diphylets	Yes.	Amphetamine
Diprolene	Defer 72 hrs after use completed if IV, IM or PO, otherwise, yes.	Corticosteroid Anti-inflammatory
Dipyridamole	No, permanent deferral if for angina or heart disease. Yes if used as anti-platelet and underlying condition is not cause for deferral. No, if used as vasodilator.	Anti-platelet. Anti-anginal
Disalcid	Yes, if arthritis inactive.	Anti-inflammatory
Disipal	Yes.	Muscle relaxant. Anti-Parkinson's
Disophrol	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine, decongestant
Disopyramide	Defer until off drug and condition stable.	Anti-arrhythmic
Disulfiram	Defer 1 week, evaluate underlying condition.	Enzyme inhibitor used for alcoholism
Ditropan	Yes.	Anti-spasmodic
Diucardin	Yes.	Anti-hypertensive, diuretic
Diulo	Yes.	Anti-hypertensive, diuretic
Diupres	Yes.	Anti-hypertensive-patient susceptible to orthostatic hypotension.
Diuril	Yes.	Anti-hypertensive, diuretic
Diutensen	Yes.	Anti-hypertensive, diuretic; patient susceptible to orthostatic hypotension.
DMSO	Yes.	Anti-inflammatory
Doans Pills	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Analgesic
Doca Acetate	No, permanent deferral.	Hormone mineralocorticoid
Docusate Calcium, Docusate Potassium, Docusate Sodium	Yes.	Laxative
Dolcin (Dolcin Corp)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic

Drug	ACCEPTABLE	NOTE
Dolene	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Analgesic
Dolobid	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms. Defer plateletpheresis donors 72 hours.	Analgesic, anti-inflammatory
Dolophine	No, permanent deferral if drug abuser.	Analgesic
Domestrol	No, permanent deferral if cancer; yes, otherwise.	Hormone
Donepezil HCl, (Aricept)	No, permanent deferral	Cholinesterase inhibitor
Donnatal	Yes, if ulcer disease pain-free.	Anti-spasmodic, anti-cholinergic
Donnazyme	Yes, if ulcer disease pain-free.	Anti-cholinergic, Anti-spasmodic
Donnegel	Yes, if symptom free.	Anti-diarrheal
Donphen	Yes, if ulcer disease pain-free.	Anti-cholinergic, Anti-spasmodic
Dopar	Yes.	Anti-Parkinson's
Doral	Yes.	Tranquilizer
Dorbane	Yes.	Laxative
Dorbantyl	Yes.	Laxative
Dorcol Cough Syrup	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antitussive
Doriden	Yes, if not abuser.	Hypnotic, sedative
Doryx	Defer 24 hrs. after course completed and feel well; IV or IM defer 1 wk. Yes, if for acne	Antibiotic
Dostinex	Yes	Dopamine receptor agonist
Dovonex (Calcipotriene Ointment)	Yes, if venipuncture site is uninvolved and otherwise without symptoms.	For psoriasis. Vitamin D analogue.
Doxazosin	Yes, if B/P is stable.	Alpha blocker, potent anti-hypertensive
Doxepin	Yes.	Tricyclic Anti-depressant
Doxicomine	Yes, if not abuser. Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Analgesic (opioid)
Doxidan	Yes.	Laxative

Drug	ACCEPTABLE	NOTE
Doxpicodine	Yes, if not abuser. Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Analgesic (opioid)
Doxychel	Defer 24 hrs. after course completed and feel well; IV or IM defer 1 wk. Yes, if for acne	Antibiotic
Doxycycline	Defer 24 hrs. after course completed and feel well; IV or IM defer 1 wk. Yes, if for acne	Antibiotic
Doxylamine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Dralserp	Yes, watch for orthostatic pressure changes.	Anti-hypertensive
Dralzine	Yes, if for hypertension. No, if for congestive heart failure.	Vasodilator Anti-hypertensive
Dramamine	Yes, evaluate., not accept if currently symptomatic.	Anti-nausea, Anti-emetic
Drisdol	Yes, unless renal patient.	Vitamin D
Dristan	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms. Defer 72 hrs for plateletpheresis or sole source platelets	Decongestant, antihistamine
Drixoral	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Dronabinol	No, permanent deferral.	Treats anorexia present in AIDS
Dulcolax	Yes.	Laxative
Duolax	Yes.	Laxative
Duo-Medihaler	Yes, even if daily dose for maintenance.	Bronchodilator
Duotrate	No, permanent deferral.	Anti-anginal
Duphaston	Yes.	Hormone replacement
Durabolin	No, permanent deferral if renal disease. Otherwise, yes.	Anabolic steroid
Duracillin	Defer 1 month, unless used to treat STD's, then 12 months.	Long acting penicillin
Duract	Yes.	Nonsteroidal anti-inflammatory

Drug	ACCEPTABLE	NOTE
Duradrin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Analgesic
Duradyne (Forest)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Dura-Meth	Defer 72 hrs. if P.O. or IM. Yes, if topical or intra-articular.	Corticosteroid
Duraquin	Defer until off drug and condition stable.	Anti-arrhythmic
Duravent	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Decongestant, expectorant
Duricef	Defer 24 hrs. after course completed and feel well.	Antibiotic
Dutasteride (AVODART)	No, defer until 6 months after last dose of medication.	Used for treatment of benign prostatic hyperplasia in men with enlarged prostate. Potential fetal anomaly to male fetus.
Duvoid	Yes.	Cholinomimetic
Dyazide	Yes.	Anti-hypertensive, diuretic
Dycill	Defer 24 hrs. after course completed and feel well. Defer 1 wk. if IM or IV.	Antibiotic
Dydrosterone	Yes.	Hormone
Dyhydrogesterone	Yes.	Hormone
Dymelor	Yes.	Oral hypoglycemic
Dynacirc	Yes.	Calcium antagonist (isradipine)
Dynapen	Defer 24 hrs. after course completed and feel well; if IM or IV defer 1 wk.	Antibiotic
Dyphylline	Yes, even if daily dose for maintenance.	Bronchodilator
Dyrenium	Yes.	Diuretic
Dyspas	Yes.	Anti-spasmodic
E.E.S.	Defer 24 hrs. after course completed and feel well. Yes, if for acne.	Antibiotic
Easprin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic-enteric coated ASA
Echinecea	Yes	

Drug	ACCEPTABLE	NOTE
Ecotrin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic, ASA.
Edecrin	Yes.	Anti-hypertensive, diuretic
Edrisal	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic
E-Ferol	Yes.	Vitamin
Effersyllium	Yes.	Laxative
Effexor	Yes.	Anti-Depressant
Efidac 24	Accept if asymptomatic for 24 hours.	Antihistamine
Efudex	Yes, if topical. No, permanent deferral if IV or IM.	Desquamator. Anti-neoplastic
EHDP	No, permanent deferral.	Inhibitor of bone metabolism. (Paget's Disease)
E-Ionate P.A.	Yes.	Hormone
EKKO	Yes.	Anti-convulsant
Elavil	Yes.	Tricyclic Anti-depressant
Eldepryl	Yes.	Anti-Parkinson's
Elixicon	Yes, even if daily dose for maintenance.	Bronchodilator
Elixophyllin	Yes, even if daily dose for maintenance.	Bronchodilator
Emagrin (Otis Clapp)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Emcyt	No	Anti-neoplastic medication
Emete-con	Yes, if asymptomatic.	Anti-emetic
Emetine	Defer 1 wk. after course completed and feel well.	Amebicide
Emetrol	Yes.	Anti-emetic
Emgel	Defer 24 hrs. after course completed and feel well; if IV or IM defer 1 wk. Yes, if for acne.	Antibiotic

Drug	ACCEPTABLE	NOT
Empirin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic, anti-pyretic, anti-inflammatory, ASA.
Empirin with Codeine	Yes, if taken for allergies . Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Empracet	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Analgesic, Anti-pyretic
E-mycin	Defer 24 hrs. after course completed and feel well.	Antibiotic
Enalapril Maleate	Yes, if for hypertension. No, if for heart disease.	Anti-hypertensive, ACE inhibitor
Enalapril Maleate-Hydrochlorothiazide	Yes, if for hypertension. No, if for heart disease.	Anti-hypertensive, ACE inhibitor
Enarex	Yes, if ulcer disease pain-free.	Anti-cholinergic/Anti-spasmodic
En-Cebrin F	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine, decongestant
Endal	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine, decongestant
Endep	Yes.	Tricyclic Anti-depressant
Endodan (Endo)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Enduron	Yes, if for hypertension.	Diuretic, Anti-hypertensive
Enduronyl	Yes, if for hypertension.	Diuretic, Anti-hypertensive
Engran-HP	Yes.	Vitamin/minerals
Enovid	Yes.	Oral Contraceptive
Enterfilm (Time Cap Labs)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic

Drug	ACCEPTABLE	NOTE
Entex, Entex-LA	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Decongestant
Entozyme	Yes.	Bile salt and enzyme replacement
Ephedrine	Yes, even if daily dose for maintenance.	Bronchodilator
Epinephrine	Yes, if not daily dose for maintenance but intermittent use.	Bronchodilator
Epragen (Lilly)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Eprolin	Yes.	Vitamin E
Epromate (Major)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Equagesic	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic, ASA.
Equanil	Yes.	Tranquilizer
Equanitate	No, until off medication and symptom free.	Anti-anginal
Equagesic Tablets (Wyeth-Ayerst)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Equazine (Quantum)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Ergamisol	Defer 1 wk. if for worms; otherwise, permanent deferral.	Anti-helminthic, immunomodulator, anti-rheumatoid
Ergomar	Yes.	Vasoconstrictor (migraine headache)
Ergonovine	Yes.	Vasoconstrictor
Ergostat	Yes.	Vasoconstrictor

Drug	ACCEPTABLE	NOTE
Ergot Alkaloids	Yes.	Vasoconstrictor
Ergotamine	Yes.	Vasoconstrictor
Ergotrate	Yes.	Vasoconstrictor
ERYC	Defer 24 hrs. after course completed and feel well; if IV or IM defer 1 wk. Yes, if for acne.	Antibiotic
EryDerm	Defer 24 hrs. after course completed and feel well, if IV or IM defer 1 wk. Yes, if for acne.	Antibiotic
Erypar	Defer 24 hrs. after course completed and feel well, if IV or IM defer 1 wk. Yes, if for acne	Antibiotic
Ery-Tab	Defer 24 hrs. after course completed and feel well; if IV or IM defer 1 wk. Yes, if for acne.	Antibiotic
Erythryl Tetranitrate	No, until off medication and symptom free.	Anti-anginal
Erythrocin	Defer 24 hrs. after course completed and feel well. Yes, if for acne.	Antibiotic
Erythromycin	Defer 24 hrs. after course completed and feel well; if IV or IM defer 1 wk. Yes, if for acne.	Antibiotic
Escitalopram oxalate (Lexapro™)	Yes	Anti-depressive.
Escot	Yes, if ulcer disease pain-free.	Antacid
Esgic	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Analgesic, sedative
Esidrix	Yes.	Anti-hypertensive, diuretic
Esimil	Defer 72 hours.	Ganglionic blocking agent and diuretic, potent Anti-hypertensive
Eskabarb	Yes.	Anti-convulsant, sedative, tranquilizer
Eskalith	Yes, if for maintenance.	Lithium
Eskatrol	Yes.	Amphetamine
Estinyl	Yes.	Hormone
Estrace	Yes.	Hormone
Estradiol	Yes.	Hormone
Estratab	Yes.	Hormone
Estrogens	Yes.	Hormone
Estrone	Yes.	Hormone

Drug	ACCEPTABLE	NOTE
Estronol	Yes.	Hormone
Estrostep (norethindrone acetate and ethinyl estradiol)	Yes	Contraceptive
Ethacrynic Acid	Yes.	Anti-hypertensive, diuretic
Ethambutol	Defer until off drug and disease inactive.	Anti-tuberculosis
Ethamide	Yes.	Anti-glaucoma
Ethchlorvynol	Yes.	Sedative/hypnotic
Ethinamate	Yes.	Sedative/hypnotic
Ethinyl Estradiol	Yes.	Hormone
Ethionamide	Defer until off drug and disease inactive.	Anti-tuberculosis
Ethmozine	No, until off drug and symptom free.	Anti-arrhythmic.
Ethopropazine	Yes.	Anti-Parkinson's
Ethosuximide	Yes.	Anti-convulsant
Ethoxzolamide	Yes.	Anti-glaucoma
Ethril	Defer 24 hrs. after course completed and feel well; if IV or IM defer 1 wk. Yes, if for acne.	Antibiotic
Ethylestrenol	Yes.	Anabolic androgen
Etidronate	No, permanent deferral.	Inhibits bone metabolism (Paget's Disease)
Etoposide	Permanent deferral.	Chemotherapeutic agent.
Etrafon	Yes, if mentally and legally responsible.	Anti-depressant. Anti-psychotic
Etretinate	No, permanent deferral.	Anti-psoriasis agent (teratogenic)
Eulexin	Yes, for acne only. No if for cancer.	Anti-androgen
Euthroid	Yes, if controlled.	Thyroid replacement
Eutonyl	Defer 72 hours after course completed.	Ganglionic blocking agent and potent diuretic
Eutron	Defer 72 hours after course completed.	Ganglionic blocking agent and potent diuretic
Evex	Yes.	Hormone
Excedrin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic, ASA

Drug	ACCEPTABLE	NOTE
Exgest LA	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Decongestant
Exna	Yes.	Diuretic, Anti-hypertensive
Famotidine	Yes, if ulcer disease inactive.	Anti-ulcer medication
Famvir	Yes.	Anti-viral Compound
Fansidar	Defer 1 yr. If in malaria zone, otherwise, yes.	Anti-malarial
Fast Relief Pain Formula (Perrigo)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Fastin	Yes.	Anorexiant
Fedahist	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Feldene	Yes, defer plateletpheresis donors for 3 days.	Non-steroidal anti-inflammatory
Fem/hrt	Yes	Progestin-estrogen combination
Feminone	Yes.	Hormone
Femogen	Yes.	Hormone
Fenfluramine	Yes.	Anorexiant
Fenoprofen	Yes, if arthritis inactive. Defer plateletpheresis donors 24 hours.	Non-steroidal anti-inflammatory
Feosol	Yes.	Hematinic
Feostat	Yes.	Hematinic
Ferancee	Yes.	Hematinic
Fergon	Yes.	Hematinic
Fer-In-Sol	Yes.	Hematinic
Fermalox	Yes.	Hematinic plus antacid
Fero-Folic-500	Yes.	Iron/vitamins
Fero-Grad-500	Yes.	Iron/vitamins
Fero-Gradumet	Yes.	Hematinic
Ferrocholate	Yes.	Hematinic
Ferrolip	Yes.	Hematinic

Drug	ACCEPTABLE	NOT
Ferro-Sequels	Yes.	Hematinic
Ferrous Fumarate, Ferrous Gluconate, Ferrous Sulfate	Yes.	Hematinic
Festal	Yes.	Bile salt, pancreatic enzymes
Festalan	Yes.	Bile salt, pancreatic enzymes
Fialuridine	No, permanent deferral.	Treatment for chronic Hepatitis B
Filibon	Yes.	Vitamins/Minerals
Finasteride (Proscar)	Defer for 1 month after stop taking the drug	Used for benign prostatic hypertrophy
Fiogesic	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Decongestant, analgesic, antihistamine.
Fiorgen (Zenith Goldline)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Fioricil	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Analgesic
Fiorinal	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Fiorinal with Codine Capsules (Sandoz)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Flagyl	Yes, if for vaginitis. Otherwise, no, defer until 1 wk. after course completed and feel well.	Anti-microbial
Flavoxate	Yes, if ulcer disease pain-free and/or urinary tract infection resolved.	Anti-cholinergic/Anti-spasmodic
Flecainide acetate	No, defer until off medication and stable.	Anti-arrhythmic
Flexeril	Yes.	Anti-spasmodic
Flomax	Yes	Alpha Antagonist, used for treating prostatic hypertrophy
Flonase	Yes	Nasal Spray for allergies

Drug	ACCEPTABLE	NOTE
Florinef	No, permanent deferral.	Mineralocorticoid
Flovent (fluticasone propionate)	Yes, even if daily dose for maintenance.	Anti-inflammatory, steroid (anti-asthmatic)
Flubiprofen	Yes, if arthritis inactive. Defer platelet-pheresis donors 24 hours.	Non-steroidal anti-inflammatory
Flucinonide	Yes.	Topical steroid
Fluconazole	Yes, if for infection of skin or nail beds. No, if for generalized (systemic) infection	Anti-fungal; may cause elevated ALT.
Flucytosine	Accept if for infection of skin or nail beds. Defer 1 wk. after course completed and condition resolved for systemic (generalized) infection.	Anti-fungal
Fludrocortisone	No, permanent deferral.	Mineralocorticoid (Addison's Disease)
Flumadine	Yes	Anti-influenza medication
Flunisolide	Yes.	Topical steroid
Fluorouracil	No, if for cancer; Yes, if topical.	Anti-neoplastic, desquamator
Fluoxetine	Yes.	Anti-depressant
Fluoxymesterone	No, if for cancer; Yes, otherwise.	Hormone, anabolic steroid. Anti-neoplastic
Fluphenazine	Yes, if mentally and legally responsible.	Anti-psychotic
Fluprednisolone	Defer 72 hrs. if P.O. or IM. Yes, if topical or intra-articular.	Corticosteroid
Flurazepam	Yes.	Tranquilizer
Fluoroplex	No, if for cancer; Yes, if topical.	Anti-neoplastic, desquamator
Fluticasone propionate (Flonase)	Yes, even if daily dose for maintenance.	Anti-inflammatory, steroid (anti-asthmatic)
Fluvoxamine (Luvox)	Yes.	Serotonin Reuptake Inhibitor. Used to treat obsessive-compulsive disorder.
Folacin	Yes.	Vitamin
Folate	Yes.	Vitamin
Folic Acid	Yes.	Vitamin
Folinate Calcium	Yes.	Vitamin
Folletrol	Yes.	Hormone
Folvite	Yes.	Vitamin
Forhistal	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine

Drug	ACCEPTABLE	NOT
Formatrix	Yes.	Hormones/vitamins
Fortaz	Defer 1 week.	Antibiotic
Fortespan	Yes.	Vitamins/minerals
Fosamax	Yes.	Aminobisphosphonate (for osteoporosis)
Fosinopril	Yes, if for hypertension. No, if for heart disease.	ACE Inhibitor Anti-hypertensive
Fulvicin	Yes, if for fungal infections of nail beds. No, if for systemic (generalized) infection.	Anti-fungal
Furacin	Yes.	Topical Antibiotic
Furadantin	Defer 24 hrs. after course completed and feel well, if IV or IM defer 1 wk.	Antibiotic
Furamide	Defer 1 wk. after course completed and feel well.	Amebicide
Furazolidone	Defer 1 wk. after course completed and feel well.	Amebicide
Furosemide	Yes, if for hypertension and underlying condition not cause for deferral.	Anti-hypertensive, diuretic
Furoxone	Defer 1 wk. after course completed and feel well.	Amebicide
Gamimmune	Defer 12 mos. if taken as hepatitis prophylaxis for known exposure.	Immune globulin, fractionated
Gamma Benzene Hexachloride	Defer 48 hrs. after course completed.	Scabicide
Gamma Globulin	Defer 12 mos. if taken as hepatitis prophylaxis for known exposure.	Immune globulin, fractionated
Gammar see gamma globulin		
Ganglionic blocking agent	Defer 72 hours.	Ganglionic blocking agent
Gantanol	Defer 24 hrs. after course completed and feel well; defer 1 wk. if IM or IV.	Antibiotic
Gantrisin	Defer 24 hrs. after course completed and feel well.	Antibiotic
Garamycin	Defer 24 hrs. after course completed and feel well; defer 1 wk. if IM or IV.	Antibiotic
Gaviscon	Yes, if ulcer disease pain-free.	Antacid

Drug	ACCEPTABLE	NOTE
Gelprin (Alra)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Geltabs	Yes, if not renal failure patient.	Vitamin D
Gelusil	Yes, if ulcer disease pain-free	Antacid
Gemfibrozil	Yes.	Anti-hyperlipidemic
Gemnisyn	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic
Genaced (Zenith)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Genacote (Zenith)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Genprin (Zenith Goldline)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Gensan (Zenith Goldline)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Gentamicin	Defer 24 hrs. after course completed and feel well; defer 1 wk. if IM or IV.	Antibiotic
Genuine Bayer Aspirin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Geocillin	Defer 24 hrs. after course completed and feel well.	Antibiotic

Drug	ACCEPTABLE	NOTE
Geopen	Defer 24 hrs. after course completed and feel well; if IM or IV defer 1 wk.	Antibiotic
Gerilets	Yes.	Vitamins/minerals
Gevral	Yes.	Vitamins/minerals
Ginkoba (Ginkgo biloba)	Yes	Over the counter herbal medication
Gitaligin	No, permanent deferral.	Cardiac Glycoside
Gitalin	No, permanent deferral.	Cardiac Glycoside
Glipizide	Yes.	Oral hypoglycemic
Glucophage	Yes.	Oral hypoglycemic
Glucosamine Chondroitin (chondroitin sulfate, glucosamine hydrochloride)	Yes	Nutritional supplement for arthritis
Glucotrol	Yes.	Oral hypoglycemic
Glucovance	Yes	Anti-diabetic
Glutethimide	Yes.	Hypnotic/sedative
Glyburide	Yes.	Oral hypoglycemic
Glyceryl Guaiacolate	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Expectorant
Glycon	Yes	Anti-diabetic
Glycopyrrolate	Yes, if ulcer disease pain-free.	Anti-cholinergic, Anti-spasmodic
Glyestrin	Yes.	Hormone
Glynase PresTab	Yes.	Oral hypoglycemic
Glysennid	Yes.	Laxative
Glyset	Yes.	Oral hypoglycemic
G-mycin	Defer 24 hrs. after course completed and feel well.	Antibiotic
Gold Sodium-thiomalate	Yes, if arthritis inactive.	Anti-rheumatic
Gonadotropin, Human	Yes.	Infertility
Goody's Extra Strength (Goody's)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic

Drug	ACCEPTABLE	NOTE
Goody's Headache Powder (Goody's)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Gramicidin	Yes.	Topical antibiotic and steroid
Grifulvin, Grisactin, Griseofulvin, Gris-PEG	Yes, if for fungal infections of skin or nail beds. No, if for systemic (generalized) infection.	Anti-fungal
Growth hormone	See medical criteria section.	
Guaifenesin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Expectorant
Guanethidine	Defer 72 hours.	Ganglionic blocking agent
Guarabenz	Yes.	Anti-hypertensive
Gynergen	Yes.	Vasoconstrictor
Gynorest	Yes.	Hormone
Halcion	Yes.	Anti-anxiety agent
Haldol	Yes, if donor legally and mentally responsible.	Anti-psychotic
Haldron	Defer 72 hrs. if P.O. or IM. Yes, if topical or intra-articular.	Corticosteroid
Haley's M-O	Yes.	Laxative
Halfprin 81, EC Tab (Kramer)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Haloperidol	Yes, if donor legally and mentally responsible.	Anti-psychotic
Halotestin	No, if for cancer; otherwise, yes.	Androgen
Halprin (Kramer)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	Aspirin containing analgesic
Harmonyl	Yes.	Anti-hypertensive
HBIG	Defer 12 months.	Biological

Drug	ACCEPTABLE	NOTE
HCG	Yes.	Hormone
Hedulin	Defer pending medical evaluation with cessation of drug.	Anticoagulant
Heparin	Defer pending medical evaluation with cessation of drug.	Anticoagulant
Hepathrom	Defer pending medical evaluation with cessation of drug.	Anticoagulant
Hepatitis B Immune Globulin	Defer 12 months.	Biological
Heprinar	Defer pending medical evaluation with cessation of drug.	Anticoagulant
Hetacillin	Defer 24 hrs after course completed and feel well; if IV or IM defer 1 wk.	Antibiotic
Hetrazan	Defer 1 wk. after course completed and feel well.	Anti-helminthic
Hexa-Betalin	Yes.	Vitamin
Hexadrol	Defer 72 hrs. if P.O. or IM Yes, if intra-articular or topical.	Corticosteroid
Hexalet	Defer 24 hrs. after course completed and feel well.	Urinary Anti-bacterial
Hexavibex	Yes.	Vitamin
Hexavitamins	Yes.	Vitamins/minerals
Hexestrol	Yes.	Hormone
Hiprex	Defer 24 hrs. after course completed and feel well.	Urinary Anti-bacterial
Hismanal	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Hispril	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Hista-Derfule	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine/analgesic
Histadyl E.C.	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms. Defer 72 hrs for plateletpheresis or sole source platelets	Antitussive, expectorant, decongestant

Drug	ACCEPTABLE	NOTE
Histalet	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine, decongestant
Histaspan	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
HMG	Yes.	Gonadotropin
Homatropine	Yes, if ulcer disease pain-free.	Anti-cholinergic/Anti-spasmodic
Hormonin	Yes.	Hormones
Humagro	PD	Lamb pituitary and herb compound. Sold in health food stores.
Humatin	Defer 1 wk. after course completed and feel well.	Amebicide
Humatrope (Somatropin)	Yes.	Growth hormone (recombinant)
Humulin	Yes, if dosage controlled and stable.	Anti-hyperglycemic
Hybephen	Yes, if ulcer disease pain-free.	Anti-cholinergic/Anti-spasmodic
Hycodan	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antitussive, anti-cholinergic
Hycomine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antitussive, decongestant
Hycotuss	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antitussive, expectorant
Hydeltra-T.B.A.	Defer 72 hrs. if P.O. or IM. Yes, if topical or intra-articular.	Corticosteroid
Hydergine	Yes.	Vasodilator, improves cognition
Hydralazine, Hydralin	Yes, if for hypertension. No, if for congestive heart failure.	Anti-hypertensive. Vasodilator
Hydrea	No	Chemotherapy medication
Hydro-cholorothiazide	Yes.	Anti-hypertensive, diuretic
Hydrocil	Yes.	Laxative
Hydrocodone	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antitussive
Hydrocortisone, Hydrocortone	Defer 72 hrs. if P.O. or IM. Yes, if topical or intra-articular.	Corticosteroid
HydroDIURIL	Yes.	Anti-hypertensive, diuretic

Drug	ACCEPTABLE	NOT
Hydroflumethiazide	Yes.	Anti-hypertensive, diuretic
Hydromorphone	Yes, if not abuser.	Narcotic analgesic
Hydromox	Yes.	Anti-hypertensive, diuretic
Hydropres	Yes.	Anti-hypertensive, diuretic
Hydroxocobalamin	Yes.	Vitamin B ₁₂
Hydroxychloroquine	No, defer 1 yr. if for malaria and in malarial zone; if not in malaria zone or given for other indication then yes.	Anti-malarial. Anti-arthritis, anti-inflammatory
Hydroxycut	Accept.	Over the counter thermogenic based weight loss drug
Hydroxyprogesterone	No, permanent deferral if cancer; otherwise, yes	Hormone
Hydroxyzine	Yes. Yes if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine, anti-anxiety
Hygroton	Yes.	Anti-hypertensive, diuretic
Hyoscyamine	Yes, if ulcer disease pain-free.	Anti-cholinergic/Anti-spasmodic
Hypertussis	Yes.	Pertussis immune globulin
Hyrye	Yes.	Vitamin
Hytakerol	Yes, unless renal failure patient.	Vitamin D
Hytrin	Yes.	Anti-hypertensive
Hyzarr	Yes.	Anti-hypertensive
Iberet	Yes.	Vitamins/hematinic
Ibuprofen	Yes, if arthritis inactive. No, if for fever. Defer plateletpheresis donor 24 hrs.	Non-steroidal. Anti-inflammatory analgesic
Ilosone, Ilotycin	Defer 24 hrs. after course completed and feel well.	Antibiotic
Ilozyme	Yes.	Enzyme replacement
Imavate	Yes.	Tricyclic Anti-depressant
Imdur	Yes	Vasodilator
Imferon	Yes, evaluate underlying condition.	Iron replacement, migraine headaches.
Imipramine	Yes.	Tricyclic Anti-depressant
Imitrex	Accept if migraine symptoms are resolved. Defer until next day after receiving injection.	Blocks production of Serotonin
Immune globulin see gamma globulin		

Drug	ACCEPTABLE	NOT
Immune Globulin, ISG	Defer 12 mos. if taken as hepatitis prophylaxis for known exposure.	Immune globulin, fractionated
Imodium	Yes, if symptom free.	Anti-diarrheal
Imuran	No, permanent deferral.	Immunomodulator
Indapamide	Yes, if for hypertension. No, if for congestive heart failure.	Anti-hypertensive, diuretic
Inderal	Yes, if for hypertension, migraine headaches. No, if anti-anginal for angina or arrhythmias. Yes, if for Mitral Valve Prolapse.	Anti-arrhythmic, anti-hypertensive
Inderide	Yes, if for hypertension. No, if angina, arrhythmias.	Anti-hypertensive, diuretic
Indocin	Yes, if arthritis inactive. Defer platelet-pheresis donors 24 hours.	Non-steroidal anti-inflammatory
Indomethacin	Yes, if arthritis inactive. Defer platelet-pheresis donors 24 hours.	Non-steroidal anti-inflammatory
INH	Yes, if for prophylaxis. Otherwise, defer until course of medication completed and disease inactive.	Anti-tuberculosis
Initia Drop with Fluoride	Yes.	Vitamins/minerals
Isordil	Medical Director evaluation required	Anti-angina agent
Insulin	Yes, if dosage controlled and stable. No, if bovine (beef) insulin injected since 1980. Then, indefinite deferral for vCJD risk.	Anti-hyperglycemic
Intal	Yes, even if daily dose for maintenance.	Anti-asthmatic
Interferons: Alfa-2A, Alfa-2B, Alfa-N3, Gamma-1B	No, permanent deferral for Cancer, Hepatitis and Chronic Granulomatosis. Venereal warts; defer 12 months after treatment and condition resolved. All others evaluate underlying condition. Defer for 12 months if treated with Interferon Alfa-N3. (Human derived Interferon)	Anti-leukemic
Inversine	Defer 72 hrs.	Ganglionic blocking agent
Iodoquinol	Defer 1 wk. after course completed and feel well.	Amebicide
Ionamin	Yes.	Anorexiant
Ipol	Accept immediately if symptom-free.	Vaccine: Poliovirus Inactivated (injectible)
Ipratropium	Accept if asymptomatic.	Bronchodilator
Irbesartan	Accept.	Anti-hypertensive

Drug	ACCEPTABLE	NOTE
Iron	Yes.	Hematinic
Iron-Polysaccharide Complex	Yes.	Hematinic
Ismelin	Defer 72 hours.	Ganglionic blocking agent
ISMO	Defer until off drug and free of symptoms.	Anti-anginal
Isocarboxazid	Defer 72 hours.	Ganglionic blocking agent anti-depressant (MAO inhibitor)
Isoclor	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine, decongestant
Isollyl	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic, ASA
Isoniazid	Yes, if for prophylaxis. Otherwise, defer until course of medication completed and disease inactive.	Anti-tuberculosis
Isoproterenol	Yes, even if daily dose for maintenance.	Bronchodilator
Isoptin	Yes, if for hypertension. Otherwise, no.	Anti-hypertensive, anti-anginal, anti-arrhythmic
Isopto-Carpine	Yes.	Anti-glaucoma
Isordil	Must be evaluated by Medical Director.	Anti-anginal
Isosorbide Dinitrate	Must be evaluated by Medical Director.	Anti-anginal
Isotretinoin (Accutane)	Defer 1 month after last dose.	Vitamin A derivative
Isoxsuprine	Yes. (check for orthostatic change)	Beta adrenergic stimulants
Israpidine	Yes.	Calcium antagonist (Dynacirc)
Isuprel	Yes, even if daily dose for maintenance.	Bronchodilator
Itraconazole	Yes if for superficial fungal infection. No, if for systemic (generalized) infection.	Anti-fungal
IVIG	Evaluate indication for use for deferral.	IV Immune globulin
Janimine	Yes.	Tricyclic Anti-depressant
Kadalex	Yes.	Electrolyte replacement
Kafocin	Defer 24 hrs. after course completed and feel well; if IV or IM defer 1 wk.	Antibiotic
Kanamycin, Kantrex	Defer 24 hrs. after course completed and feel well; if IV or IM defer 1 week. If for TB defer until off drug and disease inactive.	Antibiotic

Drug	ACCEPTABLE	NOTE
Kaochlor	Yes.	Electrolyte replacement
Kaolin	Yes, if symptom free.	Anti-diarrheal
Kaon	Yes.	Electrolyte replacement
Kaopectate	Yes, if symptom free.	Anti-diarrheal
Kappadione	Evaluate underlying condition.	Vitamin K
Karaya Gum	Yes.	Laxative
Kasof	Yes.	Laxative
Kato	Yes.	Electrolyte replacement
Kay Ciel	Yes.	Electrolyte replacement
Kayexalate	No, permanent deferral.	Potassium binding resin
K-Dur	Yes	Potassium Supplement
Keflex	Defer 24 hrs. after course completed and feel well.	Antibiotic
Keflin	Defer 1 wk.	Antibiotic
Keftab	Defer 24 hrs. after course completed and feel well, if IM or IV defer one week.	Antibiotic
Kefzol	Defer 1 wk.	Antibiotic
Kemadrin	Yes.	Anti-Parkinson's
Kenacort	Defer 72 hrs. if P.O. or IM; Yes, if topical or intra-articular.	Corticosteroid
Kenalog	Yes.	Corticosteroid
Kerlone	Yes.	Anti-hypertensive, Beta blocker.
Ketochol	Yes.	Bile salt
Ketocholanic Acid	Yes.	Bile salt
Ketoconazole	Defer 1 wk. after course completed and feel well.	Anti-fungal
Ketoprofen	Yes, if arthritis inactive. Defer platelet-phoresis donors 24 hrs.	Non-steroidal anti- inflammatory drug
Ketrolac	Yes.	Topical anti-inflammatory
Kinesed	Yes, if ulcer disease pain-free.	Anti-cholinergic/Anti-spasmodic
Klaron Lotion (sodium sulfacetamide lotion)	Yes, if for superficial fungal infection. No, if for systemic generalized infection.	Sulfonamide with Anti-bacterial activity.
Klonopin	Yes.	Anti-convulsant
K-Lor, K-Lyte, K-Lyte/Cl	Yes.	Electrolyte replacement
Klor-Con	Yes.	Electrolyte replacement

Drug	ACCEPTABLE	NOTE
Klorvess	Yes.	Electrolyte replacement
Koate	No, permanent deferral.	Antihemophilic Factor
Kolantyl	Yes, if ulcer disease pain-free.	Antacid
Konakion	Evaluate underlying condition.	Vitamin K
Kondremul	Yes.	Laxative
Konsyl	Yes.	Laxative
Konyne	No, permanent deferral if hemophilia B; otherwise, 12 months.	Blood product
Kraftist-GR	Yes if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Kudrox	Yes, if ulcer disease pain-free.	Antacid
Kutrapressin	Yes, evaluate skin condition being treated.	Liver derivative
Ku-Zyme HP	Yes.	Enzyme replacement
Kwell	Defer 48 hrs.	Scabicide
Kytril	Drug OK, but not if associated with chemotherapy.	Anti-emetic
L.A. Formula	Yes.	Laxative
Labetalol	Yes.	Anti-hypertensive
Lac-hydrin	Yes, if site is free of lesions.	Anti-psoriatic
Lactaid	Yes.	Enzyme for lactose intolerance
Lactinex	Yes, if symptom free.	Anti-diarrheal
Lactobacillus Cultures	Yes, if symptom free.	Anti-diarrheal
Lactulose	No, permanent deferral if liver disease; otherwise, yes.	Laxative
Lamictal (lamotrigine)	Yes.	Anti-epileptic
Lamine	Yes, as Anti-emetic. Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine, Anti-emetic
Lamisil	Yes.	Anti-fungal
Lamprene	No, permanent deferral.	Anti-leprosy
Lanoxin	No, permanent deferral.	Cardiac Glycoside
Lantoside C	No, permanent deferral.	Cardiac Glycoside
Lariam, Laricam	No, defer 1 year if in malarial area, defer for 3 years if used to treat acute malaria infection, otherwise, yes.	Anti-malarial

Drug	ACCEPTABLE	NOTE
Larodopa	Yes.	Anti-Parkinson's
Larotid	Defer 24 hrs. after course completed and feel well; if IV or IM defer 1 wk.	Antibiotic
Lasix	Yes, if for hypertension and underlying condition not cause for deferral.	Anti-hypertensive, diuretic
Lederade Sequels	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Decongestant, antihistamine
Ledercillin	Defer 24 hrs. after course completed and feel well.	Antibiotic
Ledermycin	Defer 24 hrs. after course completed and feel well; if IV or IM defer 1 wk. Yes, if for acne.	Antibiotic
Leflunomide	No	See Arava
Lemiserp	Yes, watch for orthostatic pressure changes.	Anti-hypertensive
Lente Iletin, Lente Insulin	Yes, if dosage controlled and stable.	Hypoglycemic
Leritine	Yes, if not abuser.	Narcotic, analgesic
Lescol	Yes.	Cholesterol lowering agent.
Letter.	Yes.	Thyroid replacement
Leucovorin	No, permanent deferral.	Corrects anti-folate effect of methotrexate
Leukeran	No, permanent deferral.	Anti-neoplastic
Leuprolide	No, permanent deferral.	GRH agent used for prostate cancer patients
Levamisole	Defer 1 wk. if for worms; otherwise, permanent deferral.	Anti-helminthic, immunomodulator, anti-rheumatoid
Levaquin (levofloxacin)	Defer 24 hours after course completed and feel well.	Antibiotic
Levatol	Yes	Adrenergic Receptor Antagonist
Levbid	Yes	Used for peptic ulcer
Levocarnitine	Yes.	Carnitine replacement
Levodopa	Yes.	Anti-Parkinson's
Levo-Dromoran	Yes, if not abuser.	Narcotic, analgesic
Levoid	Yes.	Thyroid replacement
Levaquin (Levofloxacin)	Defer 24 hours after course completed and until asymptomatic.	Broadspectrum Antibiotic
Levofloxacin	Defer 24 hours after course completion and until asymptomatic.	Broadspectrum Antibiotic
Levonorgestrel (Alesse)	Yes	Contraceptive

Drug	ACCEPTABLE	NOTE
Levopa	Yes.	Anti-Parkinson's
Levophed	No.	Restore B/P in hypotension
Levorphanol	Yes, if not abuser.	Narcotic, analgesic
Levostat	Yes.	Lipid control agent
Levothroid	Yes.	Thyroid replacement
Levothyroxine	Yes.	Thyroid replacement
Levsin, Levsinex	Yes, if ulcer disease pain-free.	Anti-cholinergic/Anti-spasmodic
Lexapro (Escitalopram oxalate)	Yes	Anti-depressant
Lexxel	Yes.	Anti-hypertensive
Librax	Yes, if ulcer disease pain-free.	Anti-cholinergic/Anti-spasmodic
Libritabs	Yes.	Psychotropic
Librium	Yes.	Tranquilizer
Lidex	Yes.	Topical steroid
Lidone	Yes, if donor mentally and legally responsible.	Anti-psychotic
Limbitrol	Yes.	Anti-depressant, tranquilizer
Lincocin	Defer 24 hrs. after course completed and feel well; if IV or IM defer 1 wk.	Antibiotic
Lincomycin	Defer 24 hrs. after course completed and feel well; if IV or IM defer 1 wk.	Antibiotic
Lindane	Defer 48 hrs.	Scabicide
Lioresal	Yes.	Muscle relaxant
Liothyronine	Yes.	Thyroid replacement
Liotrix	Yes.	Thyroid replacement
Lipitor	Yes.	Anti-lipemic
Lipitrol	Yes.	Over-the-counter weight loss compound
Lipo-Hepin	Defer pending medical evaluation with cessation of drug.	Anticoagulant
Lipo-Lutin	Yes.	Hormone
Lipo-Nicin	Yes.	Vasodilator
Liquaemin Sodium	Defer pending medical evaluation with cessation of drug.	Anticoagulant
Liquamar	Defer pending medical evaluation with cessation of drug.	Anticoagulant

Drug	ACCEPTABLE	NOT
Liqui-Cee	Yes.	Vitamin C
Liquid Petrolatum	Yes.	Laxative
Liquiprim	Yes	Acetaminophen (liquid)
Liquiprin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic, Anti-pyretic
Lisacort	Defer 72 hrs. if P.O. and IM; Yes, if topical and intra-articular.	Corticosteroid
Lisinopril	Yes, if for hypertension.	Anti-hypertensive
Lithane	Yes, if mentally and legally responsible.	Anti-mania
Lithionate	Yes, if mentally and legally responsible.	Anti-mania
Lithium	Yes, if mentally and legally responsible.	Anti-mania
Lithobid	Yes, if mentally and legally responsible.	Anti-mania
Lithonate	Yes, if mentally and legally responsible.	Anti-mania
Lisinopril	Yes, if for hypertension	ACE inhibitor
Lo/Ovral	Yes.	Oral contraceptive
Lodine	Yes, if arthritis inactive. Defer plateletpheresis donors 24 hours.	Non-steroidal anti-inflammatory drug
Loestrin	Yes.	Oral contraceptive
Lomotil	Yes, if symptom free.	Anti-diarrheal
Lomustine	No, permanent deferral.	Anti-neoplastic
Loniten	Yes.	Anti-hypertensive
Loperamide	Yes, if symptom free.	Anti-diarrheal
Lopid	Yes.	Anti-hyperlipidemic
Lopressor	Yes, if for hypertension. No, if for angina.	Anti-anginal, Anti-hypertensive
Loprox	Yes, if venipuncture site is clean and asymptomatic.	Anti-fungal
Lopurin	Yes.	Uricosuric agent
Lorazepam	Yes.	Tranquilizer
Lorcet	Yes, if not an abuser	Narcotic analgesic
Lorelco	Yes.	Anti-hyperlipidemic
Loridine	Defer 24 hrs. after course completed and feel well; if IV or IM defer 1 wk.	Antibiotic
Lortab	Yes, if not abuser.	Narcotic analgesic.

Drug	ACCEPTABLE	NOTE
Lotensin	Yes, if for hypertension. No, if for heart disease.	ACE Inhibitor. Anti-hypertensive
Lotrel	Yes, for hypertension.	ACE Inhibitor
Lotrimin	Yes.	Topical Anti-fungal
Lotrisone	Defer 72 hrs after use completed if IV, IM or PO, otherwise, yes.	Corticosteroid Anti-inflammatory
Lovastatin	Yes.	Lipid control agent
Loxapine	Yes, if mentally and legally responsible.	Anti-psychotic
Loxitane	Yes, if mentally and legally responsible.	Anti-psychotic
Lozol	Yes, if for hypertension.	Anti-hypertensive, diuretic
LSD	Yes, if one or two incident experimentation. No, permanent deferral if chronic user.	Psychotogenic
L-Throxin	Yes.	Thyroid replacement
L-Tyrosine	Yes.	Anti-depressant. Treatment for narcolepsy.
Ludiomil	Yes.	Anti-depressant
Lufyllin	Yes, even if daily dose for maintenance.	Bronchodilator
Luminal	Yes.	Sedative
Lupron	No, permanent deferral if for cancer. Otherwise, evaluate underlying condition.	Synthetic hormone agent (GRH) used for prostate cancer patients
Luvox (Fluvoxamine)	Yes.	Used to treat obsessive compulsive disorder.
Lypressin	No, permanent deferral.	Anti-diuretic hormone
Lysodren	No, permanent deferral.	Anti-neoplastic
Maalox	Yes, if ulcer disease pain-free.	Antacid
Macroclantin	Defer 24 hrs. after course completed and feel well. Yes, if for prophylactic use.	Antibiotic
Madelamine	Defer 24 hrs after course completed and feel well.	Anti-bacterial
Magan	Yes, if arthritis inactive	Anti-arthritis
Magcyl	Yes.	Laxative
Magnaprin (Rugby)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic

Drug	ACCEPTABLE	NOT
Magnaprin Arthritis Strength (Rugby)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Magnesium Carbonate	Yes, if ulcer disease pain-free.	Antacid
Magnesium Citrate	Yes.	Laxative
Magnesium Gluconate	Yes	Mineral supplement
Magnesium Hydroxide	Yes, if ulcer disease pain free.	Antacid
Magnesium Oxide	Yes, if ulcer disease pain free.	Antacid
Magnesium Phosphate	Yes, if ulcer disease pain free.	Antacid
Magnesium Salicylate	Yes, if arthritis inactive.	Anti-arthritis
Magnesium Sulfate	Yes.	Laxative
Magnesium Trisilicate	Yes, if ulcer disease pain-free.	Antacid
Malcotran	Yes, if ulcer disease pain-free.	Anti-cholinergic/Anti-spasmodic
Maltsupex	Yes.	Laxative
Mandacon	Defer 24 hrs after course completed and feel well.	Anti-bacterial
Mandelets	Defer 24 hrs after course completed and feel well.	Anti-bacterial
Mannex	No, until off drug and free of symptoms.	Anti-anginal
Mannitol Hexantrate	No, until off medication and free of symptoms.	Anti-anginal
Mansil	Defer 1 wk. after course completed and feel well.	Anti-helminthic
Maolate	Yes.	Muscle relaxant
Maprotiline	Yes.	Anti-depressant
Marax	Yes, even if daily dose for maintenance use.	Bronchodilator
Marezine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Margesic Compound No 65 (Vortech)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Marijuana	Yes, if not under the influence.	Street drug
Marinol	Permanent deferral	Treats anorexia present in AIDS

Drug	ACCEPTABLE	NOTE
Marnal (Vorteck)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Marplan	Defer 72 hours.	Anti-depressant, ganglionic blocking agent
Maso-Bemate	Yes.	Sedative/hypnotic
Matopinal	Yes, if ulcer disease pain-free.	Anti-cholinergic/Anti-spasmodic
Matulane	No, permanent deferral.	Anti-neoplastic
Mavik	Yes, if for hypertension. No, if for heart disease.	Anti-hypertensive, ACE inhibitor
Maxalt	Yes, if not having symptoms of migraine	Anti-migraine
Maxibolin	Yes.	Hormone
Maximum Bayer	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Maximum Strength Arthritis Anacin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Maxitrate	No, until off medication and symptom free.	Anti-anginal
Maxzide	Yes.	Anti-hypertensive
Mazindol	Yes.	Anorexiant
Measurin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic, Anti-pyretic, anti-inflammatory, ASA.
Mebaral	Yes.	Anti-convulsant, sedative
Mebendazole	Defer 1 wk. after course completed and feel well.	Anti-helminthic
Mebroin	Yes.	Anti-convulsant
Mecamylamine	Yes	Anti-hypertensive
Mecaptopurine	No, permanent deferral.	Anti-neoplastic
Meclan	Yes.	Topical antibiotic

Drug	ACCEPTABLE	NOT
Meclizine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Meclofenamate	Yes, if arthritis inactive. Defer platelet-phoresis donors 24 hrs.	Non-steroidal anti-inflammatory
Meclofen	Yes, if arthritis inactive. Defer platelet-phoresis donors 24 hrs.	Non-steroidal anti-inflammatory
Mediatric	Yes.	Hormone, vitamin
Medihaler-Epi	Yes, even if daily dose for maintenance.	Bronchodilator
Medihaler-Iso	Yes, even if daily dose for maintenance.	Bronchodilator
Medipren	Yes, if arthritis inactive. Defer platelet-phoresis donors 24 hrs.	Non-steroidal anti-inflammatory agent
Medral	Yes, even if daily dose for maintenance.	Bronchodilator
Medrol	Defer 72 hrs, if P.O. or IM. Yes, if topical or intra-articular.	Corticosteroid
Medroxyprogesterone	No, if for cancer; otherwise, yes.	Hormone
Mefenamic Acid	Yes, if arthritis inactive. Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever.	Non-steroidal anti-inflammatory, analgesic, anti-pyretic
Megace	No, if for cancer; otherwise, yes.	Anti-neoplastic/hormone
Megestrol	No, if for cancer; otherwise, yes	Anti-neoplastic/hormone
Melatonin	Yes, if for sleep disorder. Defer permanently if for cancer treatment	Exogenous hormone replacement
Mellaril	Yes, if mentally and legally responsible.	Anti-psychotic, tranquilizer
Melphalan	No, permanent deferral.	Anti-neoplastic
Menadione, Menadiol	Evaluate underlying condition.	Vitamin K
Menagen	Yes.	Hormone
Menest	Yes.	Hormone
Menotropins	Yes.	Gonadotropin
Menrium	Yes.	Hormone/tranquilizer
Mentabal	Yes.	Anti-convulsant/sedative
Mepenzolate	Yes, if ulcer disease pain-free	Anti-cholinergic/Anti-spasmodic
Mepergan Fortis	Yes, if not abuser.	Narcotic, analgesic
Meperidine	Yes, if not abuser.	Narcotic, analgesic
Mephobarbital	Yes.	Anti-convulsant, sedative

Drug	ACCEPTABLE	NOT
Mephoral	Yes.	Anti-convulsant, sedative
Mephyton	Evaluate underlying condition.	Vitamin K
Meprednisone	Yes if topical or intra-articular.	Corticosteroid
Mepriam	Yes, if not abuser.	Sedative/hypnotic
Mepro Aspirin (Eon)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Mepro Compound (Teva)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Meprobromate (Moore)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Meprobamate	Yes, if not abuser.	Sedative/hypnotic
Meprocarbomal	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Meprocon	Yes, if not abuser.	Sedative/hypnotic
Meprospan	Yes, if not abuser.	Sedative/hypnotic
Mercaptopurine	No, permanent deferral.	Anti-neoplastic
Meridia	Yes.	Appetite suppressant
Mesalamine	Yes, if inflammatory bowel disease is under control. No, if for Crohn's Disease.	Anti-inflammatory enema
Mesantoin	Yes.	Anti-convulsant
Mesopin	Yes, if ulcer disease pain-free	Anti-cholinergic/Anti-spasmodic
Mesoridazine	Yes, if mentally and legally responsible.	Phenothiazide tranquilizer
Mestinon	No, permanent deferral.	Anti-cholinesterase
Metabo Ultra Max	Accept.	Over the counter thermogenic based weight loss drug
Metadate (Concerta)	Yes	CNS stimulant. Attention deficit disorder.
Metahydrin	Yes.	Anti-hypertensive, diuretic

Drug	ACCEPTABLE	NOT
Metamucil	Yes.	Laxative
Metandren	No, if for cancer; otherwise, yes.	Hormone
Metaprel	Yes, even if daily dose for maintenance.	Bronchodilator
Metatensin	Yes, be alert for orthostatic pressure changes.	Anti-hypertensive
Metaxalone	Yes.	Muscle relaxant (may elevate liver function tests)
Metformin	Yes	Oral hypoglycemic
Methacycline	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week. Yes if for acne.	Antibiotic
Methadone	Yes, if not abuser.	Narcotic, analgesic
Methamphetamine	Yes.	Anorexiant
Methandrostenolone	Yes.	Anabolic steroid
Methazolamide	Yes.	Anti-glaucoma
Methdilazine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Methenamine	Defer 24 hours after course completed and feel well.	Anti-bacterial
Methergine	Defer 6 weeks after use.	Uterine stimulant
Methicillin	Defer 1 week, if IV or IM use.	Antibiotic
Methimazole	Yes.	Anti-thyroid
Methixene	Yes, if ulcer disease pain-free.	Anti-cholinergic/Anti-spasmodic
Metho-500	Yes.	Sedative/hypnotic
Methocarbamol	Yes.	Sedative/hypnotic
Methosarb	No, permanent deferral.	Anti-neoplastic
Methotrexate	No, permanent deferral unless used for non-neoplastic disease. Evaluate underlying condition.	Anti-neoplastic
Methoxsalen	Yes.	Repigmentation drug
Methscopolamine	Yes, if ulcer disease pain-free.	Anti-cholinergic/Anti-spasmodic
Methyclothiazide	Yes.	Anti-hypertensive, diuretic
Methyl CCNU	No, permanent deferral.	Anti-neoplastic
Methylcellulose	Yes.	Laxative
Methylergonovine	Defer 6 weeks after use.	Uterine Stimulant

Drug	ACCEPTABLE	NOTE
Methylodopa	Yes.	Anti-hypertensive
Methylphenidate	Yes.	Stimulant (narcolepsy)
Methylprednisolone	No, defer 72 hours, if p.o. or IM; yes, if topical or intra-articular.	Corticosteroid
Methyltestosterone	No, if for cancer.	Anabolic steroid
Methypylon	Yes.	Sedative/hypnotic
Methysergide	Yes.	Ergot alkaloid
Meticortelone	Defer 72 hours if p.o. or IM; yes if topical or intra-articular.	Corticosteroid
Meticorten	Defer 72 hours if p.o. or IM: yes, if topical or intra-articular.	Corticosteroid
Metoclopramide	Yes, but Evaluate underlying medical history.	Gastric stimulant, Anti-emetic often used for nausea secondary to chemotherapy.
Metolazone	Yes.	Anti-hypertensive diuretic
Metoprolol (Toprol XL)	Yes, if for hypertension. No, if for angina.	Anti-hypertensive, beta blocking agent
Metreton	Defer 72 hours if p.o. or IM: yes if topical or intra-articular.	Corticosteroid
Metronidazole	Defer 1 week after course completed and feel well. Yes, if for vaginitis.	Anti-microbial
Mevacor	Yes.	Cholesterol lowering agent
Mexiletine	No, until off medication and free of symptoms.	Anti-arrhythmic
Mexitil	No, until off medication and free of symptoms.	Anti-arrhythmic
Miacalcin	Yes.	Nasal spray (for osteoporosis)
Micardis	Yes.	Angiotensin II Receptor antagonist, Anti-hypertensive and cardiovascular drug.
Micatin	Yes, if topical. No, defer 1 week after course completed and feel well.	Anti-fungal
Miconazole	Yes, if topical. No, defer 1 week after course completed and feel well.	Anti-fungal
Micrainin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic, hypnotic/sedative
Micro-K10	Yes.	Potassium replacement
Micronase	Yes.	Oral hypoglycemic

Drug	ACCEPTABLE	NOT
Micronefrin	Yes, even if daily dose for maintenance.	Bronchodilator
Micronor	Yes.	Oral contraceptive
Midamor	Yes.	Anti-hypertensive, diuretic
Midazolam hydrochloride	Yes.	Sedative
Midol Caplets (Glenbrook)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Midol for Cramps (Glenbrook)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Midrin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic, ASA (migraine headache)
Milk of Magnesia	Yes, if ulcer disease pain-free	Laxative, antacid
Milkinol	Yes.	Laxative
Milpath	Yes, if ulcer disease pain-free	Anti-spasmodic/anti-cholinergic hypnotic/sedative
Milprem	Yes.	Hormones, hypnotic/sedative
Miltown	Yes.	Hypnotic/sedative
Miltrate	No, defer until off medication and symptom free. Evaluate underlying condition.	Anti-anginal
Mineral Oil	Yes.	Laxative
Minipress	Yes.	Anti-hypertensive
Minizide	Yes, if for hypertension. No, if for heart disease.	Anti-hypertensive, diuretic
Minocin	Defer 24 hrs. after course Completed and feel well; if IV or IM defer 1 wk. Yes if for acne.	Antibiotic
Minocycline	Defer 24 hours after course completed and feel well. Yes, if for acne.	Antibiotic
Minoxidil	Yes.	Anti-hypertensive and topical to promote hair growth

Drug	ACCEPTABLE	NOTE
Mintezol	Defer 1 week after course completed and feel well.	Anti-helminthic
Miradon	Defer pending medical evaluation with cessation of drug.	Anticoagulant
Mirapex	Defer.	Treatment for severe Parkinson's Disease
Miraphen PSE	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Decongestant
Misoprostol	Yes, if 4 hours since last dose.	Anti-ulcer agent
Mitomycin	No permanent deferral.	Anti-neoplastic
Mitotane	No permanent deferral.	Anti-neoplastic
Mitolan	Yes.	Laxative
M-M-R II	Defer 4 weeks (for rubella).	Vaccine: Measles, Mumps, and Rubella Virus Live
Moban	Yes, if mentally and legally responsible.	Anti-psychotic
Mobidin	Yes, if arthritis is inactive.	Anti-arthritis
Modane	Yes.	Laxative
Moderil	Yes, watch for orthostatic pressure changes.	Anti-hypertensive
Modicon	Yes.	Oral contraceptive
Moduretic	Yes.	Anti-hypertensive, diuretic
Molindone	Yes, if mentally and legally responsible.	Anti-psychotic
Mol-Iron	Yes.	Hematinic
Momentum (Whitehall)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Momentum Muscular Backache	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Mometasone (Nasonex)	Yes	Nasal spray
Monistat	Yes, if topical. Otherwise, no, defer 1 week after course completed and feel well.	Anti-fungal
Monopril	Yes, if for hypertension. No, if for heart disease	ACE Inhibitor. Anti-hypertensive
Morphine	Yes, if not abuser.	Narcotic, analgesic

Drug	ACCEPTABLE	NOT
Motrin	Yes, if arthritis inactive. Defer plateletpheresis donors 24 hours.	Non-steroidal anti-inflammatory
Moxalactam	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Mucilose	Yes.	Laxative
Mucomyst	Defer until off medication and underlying condition resolved.	Mucolytic agent
Mudrane	Yes, even if daily dose for maintenance.	Bronchodilator
Multifuge	Defer 1 week after course completed and feel well.	Anti-helminthic
Mulvidren	Yes.	Vitamins
Muse	Yes.	For erectile dysfunction
Mutamycine	No, permanent deferral.	Anti-neoplastic
My-Luck Effervescent Tablet (Perrigo)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Myambutol	No, defer until off drug and disease free.	Anti-tuberculosis
Mycelex	Yes.	Topical Anti-fungal
Mychel	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Mycobutin	Permanent deferral.	Prevents Mycobacterium avium complex in HIV patients
Mycostatin	Yes.	Topical Anti-fungal
Mylanta	Yes, if ulcer disease pain-free.	Antacid
Myleran	No, permanent deferral.	Anti-neoplastic
Mylicon	Yes.	Antiflatulent
Myochrysine	Yes if arthritis is inactive.	Anti-rheumatic
Myotonachol	Yes.	Cholinomimetic
Mysoline	Yes.	Anti-convulsant
Mysteclin-F	Defer 1 week after course completed and feel well.	Antibiotic, Anti-fungal
Mytelase	No, permanent deferral.	Anti-cholinesterase
Mytrex	Yes.	Topical Anti-fungal
Nabumetone	Yes. No plateletpheresis deferral. (no anti-platelet effect)	Non-steroidal anti-inflammatory

Drug	ACCEPTABLE	NOT
Nadolol	No, if for angina (permanent deferral) or arrhythmia (defer while on drug). Otherwise, yes.	Anti-anginal, Anti-hypertensive, anti-arrhythmic, Anti-migraine
Nafarelin	Yes.	Use in managing endometriosis
Nalbuphine	Yes, if not abuser.	Narcotic, analgesic
Naldecon	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine, decongestant
Nalfon	Yes, if arthritis inactive. Defer platelet-phoresis donors 24 hours.	Anti-inflammatory
Nalidixic Acid	Defer 24 hours after course completed and feel well	Anti-bacterial
Naltrexone	Yes, if not abuser.	Narcotic analgesic
Nandrolone	No, permanent deferral if renal disease Otherwise, yes.	Anabolic steroid.
Naprosyn	Yes, if arthritis inactive. Defer platelet-phoresis donors 24 hours.	Non-steroidal anti-inflammatory
Naproxen	Yes, if arthritis inactive. Defer platelet-phoresis donors 24 hours.	Non-steroidal anti-inflammatory
Naqua	Yes.	Anti-hypertensive, diuretic
Naquival	Yes, watch for orthostatic pressure changes.	Anti-hypertensive
Naratriptan HCL	Accept if headache resolved and feeling well.	Anti-migraine medication.
Nardil	Defer 72 hours.	Ganglionic blocking agent, Anti-depressant
Nasacort	Yes.	Nasal spray for allergic rhinitis.
Nasalide	Yes.	Topical steroid
Natabec	Yes.	Vitamins
Natacyn	Yes.	Ophthalmic Anti-fungal
Natalins	Yes.	Vitamins
Natamycin	Yes.	Ophthalmic Anti-fungal
Naturetin	Yes.	Anti-hypertensive, diuretic
Navane	Yes, if mentally and legally responsible.	Anti-psychotic, tranquilizer
NegGram	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Anti-bacterial
Nembutal	Yes, if not abuser.	Sedative
Neocholan	Yes.	Bile salt

Drug	ACCEPTABLE	NOT
Neogesic (Rev) (Vale)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Neoloid	Yes.	Laxative
Neostigmine	No, permanent deferral.	Anti-cholinesterase (for myasthenia gravis)
Neo-Syneprine	Yes, even if daily dose for maintenance.	Vasoconstrictor, bronchodilator
Neothylline	Yes, even if daily dose for maintenance.	Bronchodilator
Neotrizine	Defer 24 hours after course completed and feel well.	Antibiotic
Neptazane	Yes.	Anti-glaucoma
Neupogen	Accept if given for granulocyte or PBSC donation. Defer if given for chemotherapy or autoimmune neutropenia.	Granulocyte colony stimulating factor (G-CSF)
Neurontin	Yes.	Anti-convulsant
Neutra-Phos	Yes.	Laxative
Neutropin	Yes.	Recombinant Growth Hormone
Nexium	Yes	For the treatment of gastroesophageal reflux disease.
Niacin, Niacinamide, Nialex	Yes, watch for orthostatic pressure changes.	Vasodilator, vitamin, Anti-hyperlipidemic
Niamid	Defer 72 hours after course completed.	Ganglionic blocking agent, Anti-depressant
Nicardipine	Yes if for hypertension. No if for heart disease.	Anti-anginal, anti-hypertensive
Nicobid, Nico-400, Nicolar	Yes, watch for orthostatic pressure changes.	Vasodilator, vitamin, anti-hyperlipidemic
Nicoderm	Yes.	Transdermal nicotine. Aid to smoking cessation.
Niconyl	Yes, if for prophylaxis. Otherwise, defer until off drug and well.	Anti-tuberculosis
Nicotinamide	Yes, watch for orthostatic pressure changes.	Vasodilator, vitamin, Anti-hyperlipidemic
Nicotinic Acid	Yes, watch for orthostatic pressure changes.	Vasodilator, vitamin, Anti-hyperlipidemic
Nicotinyl Alcohol	Yes.	Vasodilator (weak)
Nifedipine	Yes, if for esophageal achalasia, migraine or hypertension; otherwise, no.	Anti-anginal, calcium channel blocker
Niferex	Yes.	Hematinic

Drug	ACCEPTABLE	NOT
Night-Time Effervescent Tab (Zenith Goldline)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Nilstat	Yes.	Topical Anti-fungal
Nimotop	Yes, for drug. No if has subarachnoid hemorrhage.	Calcium Channel Blocker
Niridazole	No, defer 1 week after course completed and feel well.	Anti-helminthic
Nisentil	Yes, if not abuser.	Narcotic, analgesic
Nitrex	No, defer 24 hours after course completed and feel well.	Antibiotic
Nitro-Bid	No, defer until off medication and free of symptoms.	Anti-anginal
Nitrocap, Nitrodisc	No, defer until off medication and free of symptoms.	Anti-anginal
Nitrofor	Defer 24 hours after course completed and feel well.	Antibiotic
Nitrofurantoin	Defer 24 hours after course completed and feel well.	Antibiotic
Nitrofurazone	Yes.	Topical antibiotic
Nitroglycerin, Nitroglyn, Nitrol, Nitrong, Nitrospan, Nitrostat	No, defer until off medication and free of symptoms.	Anti-anginal
Nitrotech	Accept.	Over the counter bodybuilding supplement
Nizatidine	Yes, if ulcer disease inactive.	Anti-ulcer agent
Nizoral	Yes, if for fungal infections of skin or nail beds. No, if for systemic (generalized) infection.	Anti-fungal
No Doz	Yes.	Stimulant
Noctec	Yes.	Hypnotic/sedative
Nodaline	Yes, if not abuser. Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Analgesic
Nolamine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine, decongestant

Drug	ACCEPTABLE	NOT
Nolex	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Decongestant, expectorant.
Noludar	Yes.	Hypnotic/sedative
Nolvadex	Yes, if used to treat non-malignant disease. No, permanent deferral.	Anti-neoplastic
Nor Q.D.	Yes.	Oral contraceptive
Norethindrone	Yes.	Oral contraceptive
Norflex	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Analgesic
Norfloxacin	Defer until 24 hours after course completed and feel well.	Antibiotic
Norgesic	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic, Anti-pyretic, ASA.
Norgesic Forte	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Norinyl	Yes.	Oral Contraceptive
Norisodrine	Yes, even if daily dose for maintenance.	Bronchodilator
Norlestrin	Yes.	Oral contraceptive
Norlutate	Yes.	Oral contraceptive
Normodyne	Yes.	Anti-hypertensive
Noroxin	Defer until 24 hours after course completed and feel well.	Antibiotic
Noroxine	Yes.	Thyroid replacement
Norpacc	No, defer until off drug and free of symptoms.	Anti-arrhythmic
Norplant	Yes, do not apply BP cuff or tourniquet to arm used for implant device.	Contraceptive
Norpramin	Yes.	Tricyclic Anti-depressant
Nortriptyline	Yes.	Tricyclic Anti-depressant
Norvasc	Yes, if for hypertension. No, if for angina.	Calcium channel blocker, Anti-hypertensive, anti-anginal.

Drug	ACCEPTABLE	NOTE
Norwich	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Norwich Extra-Strength	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Novacaine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Analgesic
Novafed	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Decongestant, antihistamine
Novahistine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Novatrin	Yes, if ulcer disease pain-free.	Anti-cholinergic/Anti-spasmodic
Novolin Insulin	Yes, if dosage controlled and stable	Hypoglycemic
Novrad	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
NPH Iletin, NPH Insulin	Yes, if dosage controlled and stable.	Hypoglycemic
Nubain	Yes, if not abuser.	Narcotic, analgesic
Nuprin	Yes, if arthritis inactive. Defer plateletpheresis donors 24 hours.	Anti-inflammatory, analgesic
Nydrazid	No, defer until course of medication completed and disease inactive.	Anti-tuberculosis
Nylidrin	Yes, watch for orthostatic pressure changes.	Vasodilator
Nystaform	Yes.	Topical Anti-fungal
Nystatin	Yes.	Topical Anti-fungal
Obedrin-LA	Yes.	Amphetamine
Obetrol	Yes.	Anorexiant
Obotan	Yes.	Anorexiant
Ocuvite	Yes.	Zinc with vitamins & minerals

Drug	ACCEPTABLE	NOTE
Ofloxacin	Defer 24 hrs after completion and feels well.	Antibiotic
Ogen	Yes.	Hormone
Olsalazine	No.	Anti-inflammatory for ulcerative colitis
Omeprazole	Yes, if ulcer disease pain-free.	Anti-ulcer agent
OmniHIB	Accept immediately if symptom-free.	Vaccine: Sterile conjugate of Haemophilus B and diphtheria protein
Omnipen	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Optimine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Optivar (Azelaistine)	Yes	Optalmic antihistamine
Orap	Yes.	Anti-depressant
Orasone	Defer 72 hours if P.O. or IM; yes, if topical or intra-articular.	Corticosteroid
Oratrol	Yes.	Anti-glaucoma
Oretic	Yes.	Diuretic
Oreticyl	Yes.	Anti-hypertensive, diuretic
Oreton	No, if for cancer; otherwise yes.	Androgen
Organden	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Expectorant
Orinase	Yes.	Oral hypoglycemic
Ornade	Yes, if ulcer disease pain-free.	Anti-cholinergic, Anti-spasmodic
Orphenadrine	Yes.	Muscle relaxant
Orphenadrine Citrate with Aspirin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Orprine	Yes.	Sedative, Anti-convulsant
Ortho-Novum	Yes.	Oral contraceptive
Ortho Tri-cyclen	Yes.	Oral contraceptive
Orudis	Yes, if arthritis inactive. Defer plateletpheresis donors 24 hours.	Non-steroidal anti-inflammatory agent
Oruvail	Yes, if arthritis inactive. Defer plateletpheresis donors 24 hours.	Non-steroidal anti-inflammatory agent
Os-Cal Mone	Yes.	Vitamin, hormone

Drug	ACCEPTABLE	NOT
Ostone	No, defer 72 hours if P.O. or IM; yes, if topical or intra-articular.	Corticosteroid
O-V Statin	Yes.	Topical Anti-fungal
Ovcon	Yes.	Oral contraceptive
Ovral	Yes.	Oral contraceptive
Ovrette	Yes.	Oral contraceptive
Ovulen	Yes.	Oral contraceptive
Oxabid	Yes; if ulcer disease pain-free.	Antacid
Oxacillin	No, defer 24 hours after course completed and feel well; if IV or IM defer 1 wk.	Antibiotic
Oxalid	Yes, if arthritis inactive.	Anti-inflammatory
Oxaminquine	No, defer 1 week after course completed and feel well.	Anti-helminthic
Oxandrolone	Yes.	Anabolic steroid
Oxaprozin	Yes, if arthritis inactive. Defer platelet-pheresis donors 24 hours.	Non steroidal anti-inflammatory
Oxazepam	Yes.	Tranquilizer, muscle relaxant
Oxazolid	Yes, if arthritis inactive.	Anti-inflammatory
Oxolinic Acid	Defer 24 hours after course completed and feel well.	Antibiotic
Oxsoralen	Yes.	Repigmentation drug
Oxtriphylline	Yes, even if daily dose for maintenance.	Bronchodilator
Oxybutynin	Yes.	Anti-cholinergic/Anti-spasmodic
Oxymetazoline	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Decongestant
Oxymetholone	No, if renal disease; otherwise yes.	Anabolic Steroid
Oxyphenbutazone	Yes, if arthritis inactive.	Anti-inflammatory
Oxyphencyclimine	Yes, if ulcer disease pain-free.	Anti-cholinergic, Anti-spasmodic
Oxytetracolor, Oxytetracycline	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week. Yes, if for acne.	Antibiotic
P-200	Yes.	Vasodilator
Pabalate	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Analgesic

Drug	ACCEPTABLE	NOTE
P-A-C	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic, ASA
Pagitane	Yes.	Anti-Parkinson's
Pain-Aid (Zee)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Pain Reliever Tablets (Rugby)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Palgic-D	Accept if asymptomatic for 24 hours.	Antihistamine, decongestant
Pamelor	Yes.	Tricyclic Anti-depressant
Pamine	Yes, if ulcer disease pain-free.	Anti-cholinergic, Anti-spasmodic
Panadol	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Anti-pyretic, analgesic
Pancrease	Yes.	Enzyme replacement
Pancreatin	Yes.	Enzyme replacement
Pancrelipase	Yes.	Enzyme replacement
Panheparin	Defer pending medical evaluation with cessation of drug.	Anticoagulant
Panmycin	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week; yes if for acne.	Antibiotic
Panodynes Analgesic (Keystone)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Panteric	Yes.	Enzyme replacement
Pantoprazole (Protonix)	Yes	Proton pump inhibitor. Use to treat Gastroesophageal reflux disease and peptic ulcer disease.
Panwarfarin	Defer pending medical evaluation with cessation of drug.	Anticoagulant

Drug	ACCEPTABLE	NOTE
Papaverine	Yes; unless used for arrhythmia.	Vasodilator
Paracort	Defer 72 hours if P.O. or IM; yes, if topical or intra-articular.	Corticosteroid
Paradione	Yes.	Anti-convulsant
Paraflex	Yes.	Muscle relaxant
Parafon	Yes.	Muscle relaxant
Parafuran	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Paraglycine	Defer 72 hours.	Anti-hypertensive (MAO inhibitor)
Paral, Paraldehyde	Yes.	Anti-convulsant
Paramethasone	Defer 72 hours if p.o. or IM; yes, if topical or intra-articular.	Corticosteroid
Parasal	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever.	Analgesic, Anti-pyretic anti-inflammatory
Par-da	Yes.	Anti-Parkinson's
Paregoric	Yes, if symptom free for 3 days.	Anti-diarrheal
Parepectolin	Yes, if symptom free.	Anti-diarrheal
Parest	Yes.	Hypnotic/sedative
Pargel	Yes, if symptom free.	Anti-diarrheal
Parlodel	Yes, if for Parkinson's. No, if for Pituitary tumors.	Anti-Parkinson's. Dopamine agonist
Parnate	Defer 72 hours.	Anti-depressant (MAO inhibitor)
Paromomycin	Defer 1 week after course completed and feel well.	Amebicide
Parsidol	Yes.	Anti-Parkinson's
PAS	Defer until course of medication completed and disease inactive.	Anti-tuberculosis
Pathibamate	Yes, if ulcer disease pain-free.	Anti-cholinergic/Anti-spasmodic, hypnotic/sedative
Pathilon	Yes, if ulcer disease pain-free.	Anti-cholinergic/Anti-spasmodic
Pathocil	Defer 24 hours after course completed and feel well.	Antibiotic
Pavabid, Pavacap, Paverine	Yes; no, if for arrhythmia.	Vasodilator
Pax-400	Yes.	Hypnotic/sedative
Paxil	Yes.	Anti-depressant

Drug	ACCEPTABLE	NOTE
PBZ	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Pc-Cap (Alra)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Pediamycin	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week. Yes, if for acne.	Antibiotic
Pediazole	Defer 24 hrs. after course completed and feel well; if IV or IM defer 1 wk. Yes, if for acne.	Antibiotic
Pemoline	Yes.	Stimulant
Penapar VK	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Penbritin	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Penicillamine	Yes, if arthritis is inactive. No, if collagen vascular disease or other chronic disease.	Anti-inflammatory
Penicillin	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week. If for STD, defer 12 months. Yes, for acne.	Antibiotic
Penntuss	Yes.	Anti-tussive
Pensyn	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Pentacef	Defer 1 week.	Antibiotic
Pentaerythritol Tetranitrate	No, defer until off medication and free of symptoms. Evaluate underlying condition.	
Pentazocine	Yes, if not abuser.	Narcotic, analgesic
Pentids	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week. If for STD, defer 12 months. Yes, for acne.	Antibiotic
Pentobarbital	Yes.	Sedative/hypnotic
Pentoxifylline	Yes.	Anti-claudication
Pentritol	No, defer until off medication and symptom free. Evaluate underlying condition.	Anti-anginal
PenVeeK	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week. If for STD, defer 12 months. Yes, for acne.	Antibiotic

Drug	ACCEPTABLE	NOT
Pepcid	Yes, if not active ulcer disease	Anti-ulcer medication
Pepidyne (Teva)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Pepto-Bismol	Yes, if symptom free for 3 days.	Anti-diarrheal
Percocet	Yes, if not abuser.	Narcotic analgesic
Percodan	Yes, if not abuser. Defer 72 hrs for plateletpheresis or sole source platelets	Narcotic analgesic, ASA
Percodan-Demi	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Percogesic	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Analgesic
Percorten	Defer 72 hours if P.O. or IV; yes, if topical or intra-articular.	Corticosteroid
Perdiem	Yes.	Laxative
Pergonal	Yes.	Fertility drug.
Periactin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Peri-Colace	Yes.	Laxative
Perindopril Erbumine	Yes.	Ace Inhibitor
Peritrate	No, defer until off medication and symptom free.	Anti-anginal
Permitil	Yes, if mentally and legally responsible.	Anti-psychotic
Perphenazine	Yes, if mentally and legally responsible.	Anti-psychotic
Persantine	No, permanent deferral if angina or heart disease. Yes if used as anti-platelet and underlying condition is not cause for deferral. No platelet collections.	Anti-anginal, anti-platelet
Persistin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Analgesic, anti-inflammatory
Pertofrane	Yes.	Tricyclic Anti-depressant

Drug	ACCEPTABLE	NOTE
Pertussis Immune Globulin	Yes, if feeling well	Anti-pertussis
Petrogalar	Yes.	Laxative
Pfizer-E	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week. Yes if for acne.	Antibiotic
Pfizerpen VK	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week. If for STD, defer 12 months. Yes, for acne.	Antibiotic
Pharmalgen	Yes.	Desensitization biological
Phazyme	Yes.	Anti-gas
Phelantin	Yes.	Anti-convulsant
Phenaphen	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic, ASA
Phenazodine	Defer until infection cleared. Yes, if not have active infection.	Urinary analgesic
Phenazopyridine	Defer until infection cleared. Yes, if no active infection.	Urinary analgesic
Phendimetrazine	Yes.	Anorexiant
Phenelzine	Yes.	Anti-depressant
Phenergan	Yes, as Anti-emetic. Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever.	Antihistamine, Anti-emetic
Phenindione	Defer pending medical evaluation with cessation of drug.	Anticoagulant
Phenmetrazine	Yes.	Anorexiant
Phenobarbital	Yes.	Anti-convulsant, tranquilizer
Phenolphthalein	Yes.	Laxative
Phenoxene	Yes.	Anti-Parkinson's
Phenoxybenzamine	No, permanent deferral if for pheochromocytoma. Evaluate underlying condition.	Anti-hypertensive, vasodilator (may cause low pressure or tachycardia on standing)
Phenprocoumon	Defer pending medical evaluation with cessation of drug.	Anticoagulant
Phentermine	Yes.	Anorexiant

Drug	ACCEPTABLE	NOT
Phentolamine	No, permanent deferral if for pheochromocytoma.	Anti-hypertensive
Phentrol	Yes.	Anorexiant
Phenylbutazone	Yes, if arthritis inactive.	Non-steroidal anti-inflammatory
Phenylephrine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Decongestant
Phenylpropanolamine	Yes, as anorexiant. Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Anorexiant, decongestant
Phenytoin	Yes, as Anti-convulsant. Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Anti-convulsant, analgesic
Phosphates	Yes.	Mineral/laxative
Phospho-Soda	Yes.	Laxative
Phthalysulfa-thiazole	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Phytonadione	Evaluate underlying condition.	Vitamin K
Pilocarpine	Yes.	Anti-glaucoma agent
Pinolol	Defer while on drug if for arrhythmia; yes if for hypertension.	Anti-arrhythmic, Anti-hypertensive
Pioglitazone (Actos)	Yes.	Oral hypoglycemic
Piperacetazine	Yes, if mentally and legally responsible.	Anti-psychotic
Piperazine	Defer 1 week after course completed and feel well.	Anti-helminthic
Piroxicam	Yes, if arthritis inactive. Defer plateletpheresis donors for 3 days.	Non-steroidal anti-inflammatory
Pitressin	No, permanent deferral if taken on regular basis and not as emergency.	Anti-diuretic hormone
Placidyl	Yes.	Hypnotic
Plantago Seed	Yes.	Laxative
Plaquenil	No, if for malaria and in malaria zone defer 1 year; if not in malaria zone or given for other indication then yes.	Anti-arthritis, anti-inflammatory. Anti-malarial
Plavix (clopidogrel)	Acceptable for whole blood, red blood cells, FFP, and/or cryoprecipitate; for platelets defer for 5 days after last dose	Anti-platelet
Plegine	Yes.	Anorexiant

Drug	ACCEPTABLE	NOTE
Plendil	Yes.	Calcium channel blocker. Anti-hypertensive.
Polaramine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Poloxamer 188	Yes.	Laxative
Polycarbophil	Yes.	Laxative
Polycillin	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Polymagma	Yes, if symptom free.	Anti-diarrheal
Polymox	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Polythiazide	Yes.	Anti-hypertensive, diuretic
Poly-Vi-Flor, Poly-Vi-Sol	Yes.	Vitamin
Pondimin	Yes.	Anorexiant
Ponstel	Yes, if arthritis inactive. Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Anti-inflammatory. Analgesic, Anti-pyretic
Potaba	Yes.	For systemic anti-fibrosis
Potassium Bicarbonate, Citrate, Chloride, Gluconate	Yes.	Potassium replacement
Potassium Iodide	Yes for thyroid. Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Expectorant, thyroid agent
Povan	Defer 1 week after course completed and feel well	Anti-helminthic
Prantal	Yes, if ulcer disease pain-free.	Anti-cholinergic, Anti-spasmodic
Pravachol	Yes.	Cholesterol lowering agent.
Prazepam	Yes.	Sedative, tranquilizer
Prazosin	No, if for heart disease. Yes, if for hypertension.	Anti-hypertensive
Precomp (Zee)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Precose X	Yes.	Anti-hyperglycemic

Drug	ACCEPTABLE	NOT
Pred-Forte	Yes.	Ophthalmic
Prednis, Prednisal, Prednisolone, Prednisone, Predulose	Defer 72 hours if P.O. or IM; yes, if topical or intra-articular.	Corticosteroid
Pregnyl	Yes.	Gonadotropin
Preludin	Yes.	Stimulant
Premarin	Yes.	Hormone
Prempro	Yes, if for estrogen replacement. Defer permanently if for cancer treatment.	Estrogen replacement
Prenicarbate	Yes.	Corticosteroid
Presalin (Roberts)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Presamine	Yes.	Tricyclic Anti-depressant
Pre-Sate	Yes.	Anorexiant
Prevacid	Yes, if ulcer disease pain free	Anti-ulcer agent
Prilosec	Yes, if ulcer disease is pain free.	Anti-ulcer agent
Primaquine	No, if malarial zone, defer 1 year; if not in malarial zone, yes.	Anti-malarial
Primatene	Yes, even if daily dose for maintenance.	Bronchodilator
Primidone	Yes.	Anti-convulsant
Principen	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Prinivil	Yes, if for hypertension.	Anti-hypertensive
Prinzide	Yes, if for hypertension.	Anti-hypertensive
Priscoline	No.	Vasodilator
Probanthine	Yes, if ulcer disease pain-free.	Anti-cholinergic, Anti-spasmodic
Probenecid	Yes.	Uricosuric agent
Probucol	Yes.	Anti-hyperlipidemic
Procainamide	No, until off drug and symptom free.	Anti-arrhythmic
Procan	No, until off drug and symptom free.	Anti-arrhythmic
Procarbazine	No, permanent deferral.	Anti-neoplastic
Procardia	No, if for angina. Yes if for esophageal achalasia, migraine or hypertension.	Vasodilator
Prochlorperazine	Yes, if mentally and legally responsible.	Anti-psychotic, anti-emetic

Drug	ACCEPTABLE	NOTE
Procyclidine	Yes.	Anti-cholinergic, anti-Parkinson's
Profilate	No, permanent deferral.	Blood factor product
Progesic	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Analgesic
Progestasert, Progesterone	Yes.	Hormone
Proglycem	Yes, if blood glucose stable.	Hyperglycemic
Progynon	Yes.	Hormone
Proketazine	Yes, if mentally and legally responsible.	Anti-psychotic
Prolixin	Yes, if mentally and legally responsible.	Anti-psychotic
Proloid	Yes.	Thyroid replacement
Proloprim	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Promachlor, Promapar	Yes, if mentally and legally responsible.	Anti-psychotic
Promethazine	Yes, as anti-nauseant. Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Anti-nausea, antihistamine
Pronemia	Yes.	Hematinic
Pronestyl	No, until off drug and symptom free.	Anti-arrhythmic
Propacil	Yes.	Anti-thyroid agent
Propadrine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Decongestant
Propantheline	Yes, if ulcer disease pain-free.	Anti-cholinergic/Anti-spasmodic
Propecia	Defer for 1 month after stop taking the drug.	Used for hair loss (same ingredient as Proscar: finasteride)
Proplex	No, permanent deferral.	Factor IX complex
Propox 65, Propoxyphene	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic, ASA
Propoxyphene Compound (various)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic

Drug	ACCEPTABLE	NOT
Propoxyphene; Acetaminophen	MD Consult	Narcotic Darvon™
Propranolol	No, if for arrhythmia (defer while on drug), angina (permanent deferral); Yes if for hypertension, migraine.	Anti-anginal, anti-arrhythmic
Propriion Gel	Yes.	Topical Anti-fungal
Propulsid	Yes.	Gastric stimulant, Anti-emetic
Propylhexedrine	Yes.	Beta 2 stimulator
Propylthiouracil	Yes.	Anti-thyroid agent
Proscar (finasteride)	Defer for 1 month after stop taking the drug.	Used for benign prostatic hypertrophy
Prostaphilin	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Prostigmin	No, permanent deferral.	Anti-cholinesterase (for myasthenia gravis)
ProstinVR (alprostadil)	Yes	Treatment for erectile dysfunction
Protonix (Pantoprazole Sodium)	Yes	Proton pump inhibitor. Use to treat Gastroesophageal reflux disease and peptic ulcer disease
Protriptyline	Yes.	Tricyclic Anti-depressant
Protropin	Yes.	Growth hormone (recombinant)
Proventil	Yes, even if daily dose for maintenance.	Bronchodilator
Provera	Yes.	Hormone
Prozac	Yes.	Anti-depressant
Prydon	Yes, if ulcer disease pain-free.	Anti-cholinergic/Anti-spasmodic
Pseudoephedrine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Decongestant
Pseudomal	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Psorcon	Yes.	Corticosteroid
Psyllium	Yes.	Laxative
PTU, Propylthiouracil	Yes.	For hyperthyroidism
Purinethol	No. Permanent deferral.	Anti-neoplastic
Purodigin	No, permanent deferral.	Cardiac Glycoside
Pyrantel Pamoate	Defer 1 week after course completed and feel well.	Anti-helminthic
Pyrazinamide	No, defer until disease inactive.	Anti-tuberculosis

Drug	ACCEPTABLE	NOTE
Pyrethrin	Defer 48 hours after course completed.	Pediculicide
Pyribenzamine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Pyridium	No, if infection not cleared. Yes, if no infection.	Urinary analgesic
Pyridostigmine	No, permanent deferral if for myasthenia gravis	Anti-cholinesterase (for myasthenia gravis). Pyridostigmine is also used to counter chemical warfare agents; may donate if otherwise acceptable.
Pyridoxine	Yes.	Vitamin
Pyrilamine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Pyrimethamine	No, defer 1 year if in malaria zone, otherwise yes.	Anti-malarial
Pyristan	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Pyroxate	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine, analgesic
Pyrvinium	Defer 1 week after course completed and feel well.	Anti-helminthic
Quaalude	Yes, if not abuser.	Hypnotic/sedative
Quadrinal	Yes, even if daily dose for maintenance.	Bronchodilator
Questran	Yes.	Anti-hyperlipidemic
Quibron	Yes, even if daily dose for maintenance.	Bronchodilator
Quide	Yes, if mentally and legally responsible.	Anti-psychotic
Quinacrine	No, defer 1 year if in malarial zone. No, defer 1 week after course completed if for giardia infection. Yes, if not in malaria zone or other indication.	Anti-malarial, giardiocide
Quinaglute	No, permanent deferral if for heart disease, defer while on drug if for arrhythmia.	Anti-arrhythmic
Quinapril	Yes, for stable hypertension	Ace Inhibitor
Quinethazone	Yes.	Anti-hypertensive, diuretic
Quinidex	No, permanent deferral if for heart disease, defer while on drug if for arrhythmia.	Anti-arrhythmic

Drug	ACCEPTABLE	NOT
Quinidine	No, permanent deferral if for heart disease, defer while on drug if for arrhythmia.	Anti-arrhythmic
Quinine	Yes, <u>unless</u> travel in a malarial zone. See specific country for deferral period.	Treatment for leg cramps. Anti-malarial.
Qvar	Accept if asymptomatic.	Glucocorticoid
Rabeprazole (Aciphex)	Yes, if no evidence of bleeding.	Prevention of stomach ulcer bleeding
Rabies Immune Globulin	No, defer 12 months.	Biological
Radioactive Iodine	No, if for diagnostic use; defer 72 hours or after results known whichever is first. No, defer 3 months if therapeutic use.	Anti-thyroid
Ramipril	Yes, if for hypertension. No, if for heart disease.	ACE Inhibitor, Anti-hypertensive
Ranitidine	Yes, if ulcer disease pain-free.	Antacid
Raudixin	Yes.	Anti-hypertensive
Rau-Sed	Yes, watch for orthostatic pressure changes.	Anti-hypertensive
Rauwiloid	Yes, watch for orthostatic pressure changes.	Anti-hypertensive
Rauwolfia Alkaloids	Yes, watch for orthostatic pressure changes.	Anti-hypertensive
Rauzide	Yes.	Anti-hypertensive
Redux	Yes.	Appetite suppressant
Regitine	No, permanent deferral if for pheochromocytoma.	Anti-hypertensive
Reglan	Yes, evaluate medical history.	Anti-emetic, gastric stimulant
Regonal	No, permanent deferral	Anti-cholinesterase (for myasthenia gravis)
Regroton	Yes, watch for orthostatic pressure changes.	Anti-hypertensive
Rela	Yes.	Sedative/hypnotic
Relafen	Yes. No need for plateletpheresis deferral	Non-steroidal anti-inflammatory (no anti-platelet effect)
Remeron	Yes.	Anti-depressant
Remsed	Yes, as anti-nauseat. Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Anti-nausea, antihistamine
Renese	Yes, if for hypertension	Anti-hypertensive, diuretic
Renoquid	Defer 24 hours after course completed and feel well.	Antibiotic
Repen-VK	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic

Drug	ACCEPTABLE	NOT
Repoise	Yes.	Tranquilizer
Rescinnamine	Yes, watch for orthostatic pressure changes.	Anti-hypertensive
Reserpine, Reserpoid	Yes, watch for orthostatic pressure changes.	Anti-hypertensive
Restoril	Yes.	Tranquilizer
Retin-A	Yes, if topical. Defer 1 month from last dose if oral.	Vitamin A derivative
Retinol	Yes.	Vitamin A
Retrovir	Permanent deferral.	Anti-viral agent
Rhinex (Teva)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Rhinocaps (Ferndale)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Rhinocort (budesonide)	Yes, even if daily dose for maintenance.	Anti-inflammatory, steroid (anti-rhinitis)
Rho (D) Immune Globulin, Rh ₀ GAM	Defer until 6 weeks after completion of pregnancy.	Anti-D immune globulin
RhoGAM	Accept after pregnancy, miscarriage or abortion and meets required wait of 6 weeks.	Vaccine: Rh Immune Globulin
Ribavirin	Defer 6 months.	Anti-viral
Riboflavin	Yes.	Vitamin
Rifabutin	No, permanent deferral.	Prevent Mycobacterium avium complex in HIV patients
Rifadin, Rifampin	No, defer until course of medication completed and disease inactive.	Antituberculous
RIG	No, defer 12 months.	Biological
Rimactane	No, defer until course of medication completed and disease inactive.	Antituberculous
Rimso-50 (DMSO)	Defer for 1 week after drug completed.	Anti-inflammatory, anti-spasmodic
Rio-Dopa	Yes.	Anti-Parkinson's
Riopan	Yes, if ulcer disease pain-free.	Antacid
Ripfuel	Accept.	Over the counter thermogenic based weight loss drug

Drug	ACCEPTABLE	NOTE
Risendronate	Yes.	For osteoporosis
Risperdal	Yes.	Anti-psychotic
Ritalin	Yes.	Stimulant
Ritodrine	Defer 6 weeks after pregnancy terminated.	Sympathomimetic (inhibits labor)
Robalate	Yes, if ulcer disease pain-free.	Antacid
Robamox	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Robantaline	Yes, if ulcer disease pain-free.	Anti-cholinergic/Anti-spasmodic
Robaxin	Yes.	Muscle relaxant
Robaxisal	Yes. Defer 72 hrs for plateletpheresis or sole source platelets	Muscle relaxant
Robenecid	Yes.	Uricosuric agent
Robicillin VK	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Robimycin	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week. Yes, if for acne.	Antibiotic
Robinul	Yes, if ulcer disease pain-free.	Anti-cholinergic/Anti-spasmodic
Robitet	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week. Yes, if for acne.	Antibiotic
Robitussin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Expectorant
Rocatrol	No, permanent deferral if renal disease. Otherwise, yes.	Vitamin D
Rocephin	Defer 1 week after course completed and feel well.	Antibiotic
Rofecoxib (Vioxx)	Yes.	Cox-2 inhibitor, anti-inflammatory; no platelet inhibitory effect.
Roferon-A	No, permanent deferral.	Anti-leukemic currently
Rogaine	Yes.	Topical for hair restoration
Roloids	Yes, if ulcer disease pain-free.	Antacid
Rolidrin	Yes, watch for orthostatic pressure changes.	Vasodilator
Romethocarb	Yes.	Muscle relaxant
Rondamine	Accept if asymptomatic for 24 hours.	Antihistamine, decongestant

Drug	ACCEPTABLE	NOT
Rondec	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Decongestant, antihistamine
Randomycin	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week. Yes, if for acne.	Antibiotic
Roniacol	Yes.	Vasodilator (weak)
Ronigen	Yes.	Vitamin B derivative
Ropoxy	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Analgesic
Ropred	No, defer 72 hours if p.o. or IM; yes, if topical or intra-articular.	Corticosteroid
Rosiglitazone (Avandia, Avandamet™)	Yes, if diabetes controlled and asymptomatic.	Anti-diabetic agent
Rowasa	Yes, if inflammatory bowel disease is under control. No, if for Crohn's Disease.	Anti-inflammatory enema
Roxanol	Yes, if not abuser.	Narcotic, analgesic
Poxiprin (Roxane)	Yes, if taken for allergies. Defer for 72 hours if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
RP-mycin	Defer 24 hrs. after course completed and feel well; if IV or IM defer 1 wk. Yes, if for acne.	Antibiotic
Rubramin PC	Yes.	Vitamin
Rufen	Yes, if arthritis inactive. Defer plateletpheresis donors 24 hours.	Non-steroidal anti-inflammatory
Rumacol (Republic)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Rynatann Rynatuss	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine, decongestant
Salabuff (Ferndale)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic

Drug	ACCEPTABLE	NOTE
Salatin Capsules (Ferndale)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Saleto (Roberts)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Salicylsalicylic, Salsalate	Yes, if arthritis inactive.	Non-steroidal anti-inflammatory
Salocol (Roberts)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Saluron	Yes.	Anti-hypertensive, diuretic
Salutensin	Yes, watch for orthostatic pressure changes.	Anti-hypertensive, diuretic
Sandril	Yes, watch for orthostatic pressure changes.	Anti-hypertensive
Sanorex	Yes.	Anorexiant
Sansert	Yes.	Anti-migraine
Sarafem (Fluoxetine)	Yes	Anti-depressant
Sarodant	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Saronil	Yes.	Sedative/hypnotic
SAS-500	No.	Immunomodulator
Saw Palmetto Formula	Yes.	Iodine formula
Savacort	No, defer 72 hours if p.o. or IM Yes, if topical or intra-articular.	Corticosteroid
Secobarbital, Seconal	Yes.	Sedative/hypnotic
Sectral	Yes, if for hypertension. No, if for arrhythmias.	Beta-Blocker, Anti-hypertensive
Sedadrops	Yes.	Anti-convulsant, sedative
Sed-Tens SE	Yes, if ulcer disease pain-free.	Anti-cholinergic/Anti-spasmodic
Selacryn	Yes.	Anti-hypertensive
Seldane	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Selegiline Hcl	Yes.	Anti-Parkinson's

Drug	ACCEPTABLE	NOT
Semilente Iletin, Semilente Insulin	Yes, if dosage controlled and stable.	Hypoglycemic
Semprex D	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Semustine	No, permanent deferral.	Anti-neoplastic
Senna Pod, Senokot	Yes.	Laxative
Septra	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week. Yes, for rosacea.	Antibiotic
Ser-Ap-Es	Yes, watch for orthostatic pressure changes.	Anti-hypertensive
Serax	Yes.	Anti-convulsant, Anti-anxiety
Serensil	Yes.	Hypnotic/sedative
Serentil	Yes, if mentally and legally responsible.	Anti-psychotic
Serephene	Yes.	Fertility agent
Serevent Inhaler	Yes.	Anti-asthmatic
Seroquel	Yes, If legally and mentally responsible	Anti-Psychotic
Seromycin	No, defer until course of medication completed and disease inactive.	Anti-tuberculosis, antibiotic
Serpasil, Serpasil- Apresoline, Serpasil- Esidrix	Yes, watch for orthostatic pressure changes.	Anti-hypertensive
Sertabs	Yes, watch for orthostatic pressure changes.	Anti-hypertensive
Servisone	Defer 72 hours if P.O. or IM; yes, if topical or intra-articular.	Corticosteroid
Serzone	Yes.	Anti depressant
Shark Cartilage	Yes, if for arthritis. No if for cancer or rheumatoid arthritis.	Anti-angiogenesis agent, anti-inflammatory
Sildec	Accept if asymptomatic for 24 hours.	Antihistamine, decongestant
Simeco	Yes, if ulcer disease pain-free.	Antacid
Simron	Yes.	Hematinic
Simvastatin	Yes.	Cholesterol-lowering agent
Sinarest	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Sinemet	Yes.	Anti-Parkinson's

Drug	ACCEPTABLE	NOT
Sine-Off Sinus (Smith-Kline)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Sinequan	Yes.	Anti-depressant, Anti-anxiety
Singlet	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine, decongestant
Singulair	Yes.	Prophylaxis and treatment for chronic asthma
Sinubid	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine, decongestant
Sinutab	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine, decongestant
Sitosterols	Yes.	Cholesterol lowering agent
SK-65	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic, ASA
SK-Amitriptyline	Yes.	Tricyclic Anti-depressant
SK-Ampicillin	No, wait 24 hrs. after course completed and feel well, if IV or IM defer 1 wk.	Antibiotic
SK-Bamate	Yes, if not abuser.	Sedative/hypnotic
SK-Dexamethasone	Defer 72 hrs. if oral or IM, otherwise yes.	Steroid
Skelaxin	Yes.	Muscle relaxant (may elevate liver function tests)
SK-Lygen	Yes.	Tranquilizer
SK-Pramine	Yes.	Tricyclic Anti-depressant
SK-Reserpine	Yes, watch for orthostatic pressure changes.	Anti-hypertensive
SK-Soxazole	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
SK-Tetracycline	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week. Yes, if for acne.	Antibiotic
Slim-Tabs	Yes.	Anorexiant
Slo-Bid	Yes, even if daily dose for maintenance.	Bronchodilator

Drug	ACCEPTABLE	NOTE
Slo-Phyllin	Yes, even if daily dose for maintenance.	Bronchodilator
Sloprin (Econolab)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Slow K	Yes.	Potassium replacement
Sodium Polystyrene	No, permanent deferral.	Potassium binding resin
Sodium Salicylate	Yes, if arthritis inactive.	Anti-inflammatory
Sodol (Major)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Solatene	Yes, if skin is not orange.	Beta Carotene Sulfonate
Solganal	Yes, if arthritis inactive.	Anti-inflammatory
Solu-Cortef	Defer 72 hours if p.o. or IM; yes, if topical or intra-articular.	Cortisol
Solujet	Defer 72 hours if p.o. or IM;	Corticosteroid
Solu-Medrol	yes, if topical or intra-articular.	
Soma	Yes. Defer 72 hrs for plateletpheresis or sole source platelets	Sedative/hypnotic
Soma w/Codeine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Somatrem	Yes.	Growth hormone (recombinant)
Somatropin	Yes.	Growth hormone (recombinant)
Somophyllin	Yes, even if daily dose for maintenance.	Bronchodilator
Sonata	Yes.	Hypnotic agent
Sonilyn	Defer 24 hours after course	Sedative/hypnotic
Sopor	Yes, if not abuser.	Sedative/hypnotic
Sorbitrate	Medical Director evaluation required	Anti-anginal
Sorboquel	Yes.	Laxative
Soriatane (Aciretin)	Permanent Deferral (teratogenic)	Anti-psoriasis
Sparine	Yes.	Tranquilizer

Drug	ACCEPTABLE	NOT
Spastil	Yes, if ulcer disease pain-free.	Anti-cholinergic/Anti-spasmodic
Spectinomycin	Defer 1 week after injection.	Antibiotic
Spectrobid	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Spirolactone	Yes.	Diuretic
Sporonox	Yes if for superficial fungal infection. No, if for systemic (generalized) infection.	Anti-fungal
St Joseph Chewable	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Stacker 2	Accept.	Over the counter thermogenic based weight loss drug
Stadol	Yes, if not abuser.	Narcotic, analgesic
Stanback Power	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Staphcillin	Defer 1 week, if IV or IM use.	Antibiotic
Staticin	Yes.	Topical antibiotic
Statobex	Yes.	Anorexiant
Stearane	Defer 72 hours if p.o. or IM; yes, if topical or intra-articular.	Corticosteroid
Stelazine	Yes, if mentally and legally responsible.	Anti-psychotic
Sterazolidin	Defer 72 hours if p.o. or IM; yes, if topical or intra-articular.	Corticosteroid
Stero-Darvon	Yes, if arthritis inactive.	Arthritis, anti-inflammatory
Stilphosterol	No, if for cancer; otherwise, yes.	Estrogen
Stim 250	Yes.	Stimulant
Stimdex	Yes.	Stimulant
St. John's Wort	No cause for deferral	Anti-depressant
Streptomycin	No, defer until disease inactive.	Anti-tuberculosis
Sturartinic	Yes.	Hematinic
Sub-Quin	No, permanent deferral for heart disease.	Anti-arrhythmic
Sucralfate	Yes, if ulcer disease pain-free.	Anti-ulcer